

Draft only - if in your possession please double check with us for updates or any questions. 800-698-7412



HEARTH CARE PRODUCTS

VENT & CHIMNEY SWEEPING



2023



# TABLE OF CONTENTS

---

<b>1</b>	A.W.PERKINS HEARTH ACCESSORIES, CLEANERS & PAINTS .....	1-20
<b>2</b>	A.W. PERKINS BUTTONLOK™ POWER SWEEPING SYSTEM .....	22-31
<b>3</b>	A.W.PERKINS TRADITIONAL CHIMNEY SWEEP RODS & TOOLS .....	33-38
<b>4</b>	A.W.PERKINS TRADITIONAL RODS & BRUSHES W/LARGE B/L .....	40-43
<b>5</b>	A.W.PERKINS ROVAC® BUTTONLOK DRYER VENT CARE & REPAIR....	45-55
<b>6</b>	A.W. PERKINS CONSUMER PELLET VENT CLEANING SYSTEM .....	58-60
<b>7</b>	A.W.PERKINS ROVAC® HEPA VACUUMS .....	62-67
<b>8</b>	A.W.PERKINS CAMERA INSPECTION & BREATHING APPARATUS .....	69-71
<b>9</b>	VENT VISION COMPRESSED AIR DRYER VENT CLEANING SYSTEM.....	72-75



A. W. PERKINS CO.

Quick-Lighting

144

**Fire Starters**

Easy, Safe  
Break-n-Burn™  
Squares



Kindle Fires in:  
Fireplaces  
Wood Stoves  
Brick Pizza-Ovens  
Pellet Stoves  
Campfires  
BBQs

Item: MS-26



## **A.W.PERKINS ACCESSORIES, CLEANERS, PAINTS and BRUSHES**

**1**

A.W. Perkins offers a vast array of cleaning products as well as paints, silicones, soot and creosote removers and an extensive line of castable brick and refractory cements and mortar compounds. Everything you need to keep your fireplace, wood or pellet appliances clean and running smoothly. Along with these products we also carry a full line of accessories which includes chimney and ash brushes, ash removal vacuum attachments, firewood moisture meters, fireplace gloves, chimney fire suppressants and a full assortment of wood and pellet stove gaskets.

800-698-7412  
sales@awperkins.com  
www.rodtechusa.com  
(c) 2023



### HEARTHGLASS AND GFC GLASS-CERAMIC CLEANERS

# 101-Ceramic glass cleaner. Use to clean the glass on woodstoves, inserts and pellet stoves. Blue semi-paste formula. Not for use on tempered glass fireplaces.

# 102-GFC crème ceramic glass cleaner for gas fireplaces/stoves. May also be used on smoothtop ranges and other glass-ceramic surfaces. Do not use on plastics such as microwave oven doors.

ITEM NO.	SIZE	QTY/CS
101	8 fl.oz.	12
102	8 fl.oz.	12



### KLEER VIEW SPRAY-ON GLASS CLEANER

Spray on glass cleaner dissolves soot, creosote and smoke residue. Can also be used to remove carbon based grime on stone, and the exterior of fireplaces & stoves. Safe to use on tempered glass. Powerful formula removes carbon based grime without tedious scrubbing. For wood and pellet stoves, inserts or fireplaces.

ITEM NO.	SIZE	QTY/CS
100A	32 fl. Oz	6



### MSB - MASONRY, BRICK & STONE CLEANER

Brick, masonry and stone cleaner. Spray on to dissolve soot, creosote, ash dust and smoke residue on brick and stone hearth surfaces. Moisten surface with water prior to cleaning for best results.

ITEM NO.	SIZE	QTY/CS
110A	32 fl. Oz.	6



### GAS LOG SOOT RENEWER

Gas Log Renewer is a non-toxic environmentally safe spray on cleaner that works instantly to remove unsightly carbon, grime & soot as it revives the showroom sparkle of your gas log set. **NOTE:** Not for use on "White Birch" log sets or lightweight fiber logs.

ITEM NO.	SIZE	QTY/CS
205	16 fl. Oz.	12



## A.W. PERKINS BREAK-N-BURN™ FIRE STARTER SQUARES

Easy, safe Break-n-Burn fire starter squares for wood, pellet or charcoal fires. Original paraffin and wood chip formulation. Ideal for fireplaces, campfires, wood stoves, BBQ's, brick pizza ovens, pellet stoves, and chimineas. Lights with touch of match, burns 8-10 min. per square. Prop. 65. Meets SCAQMD Rule 1174.

ITEM NO.	DESCRIPTION	CS PK
22	24 squares per box.	12
25	144 squares per box	8



## \*\*NEW BREAK-N-BURN™ LITE FIRE STARTER SQUARES \*\*BULK ONLY\*

New environmentally friendly lighters use plant based oil and wood fiber. Very low VOC's per light. Burns up to 10 minutes. Prop. 65. Meets SCAQMD Rule 1174.

ITEM NO.	DESCRIPTION	PALLET QTY
2X4	BnB Lite, 8 squares	7,600
2X6	BnB Lite, 12 squares	4,940



## MAGICOLOR™ FLAME CRYSTALS

Creates a colourful blue/green flame in wood burning fires. Not for use in fires used for cooking such as pizza ovens or campfires. Prop 65.

ITEM NO.	DESCRIPTION	CS PK
280	16 oz. crystals, shaker top	12



## GEL FLAME™ LIQUID KINDLING FIRE STARTER

Gelled fire starter for starting wood stoves, wood fires and pellet stoves. IPA based.

ITEM	NO. SIZE	CS PK
10	16 fl. Oz.	12
11	32 fl. Oz. USA Version	12
11F	32 fl. Oz. French/Eng. label	12



### A.W. PERKINS HIGH TEMPERATURE SILICONE

High temperature 500°F silicone. Many uses around fireplaces and chimneys. Choice of black or translucent. Available in (2.7 fl. oz.) squeeze tube or (10.3 fl. oz.) cartridge. Use anywhere a flexible high heat seal is required.

High temperature 600°F silicone. Use for hi temp repairs or often used on pellet stoves as gasket 'glue' (if specified by the OEM). Neutral cure Red. Available in (2.7 fl. Oz.) squeeze tube or (10.3 fl.oz.) cartridge. Does not corrode galvanized steel, copper or aluminum. **New updated formula** requires new item #, same performance.

ITEM #	SIZE	COLOR	DESCRIPTION
60	Sq. tube	Black	High temperature 500°F silicone, 2.7 fl. Oz.) 12/cs
65	Cartridge	Black	High temperature 500°F silicone, 10.3 fl. Oz.) 12/cs
61	Sq. tube	Translucent	High temperature 500°F silicone, 2.7 fl. Oz.) 12/cs
66	Cartridge	Translucent	High temperature 500°F silicone, 10.3 fl. Oz.) 12/cs
70A	Sq. tube	Red	High temperature 600°F silicone, 2.7 fl. Oz.) 12/cs
71A	Cartridge	Red	High temperature 600°F silicone, 10.3 fl. Oz.) 12/cs

**New Item # & Formula**



### A.W. PERKINS STOVE GASKET CEMENT

Stove and gasket cement is used to adhere fiberglass gaskets on wood/pellet stoves and inserts. May also be used for metal to metal stove repairs. Available in (2.7 fl. Oz.) squeeze tube or (10.3 fl. Oz.) cartridge. Heat resistant up to 2000°F.

ITEM NO.	SIZE	CS PK
80	Sq. tube	12
80B	Sq. tube	100 (bulk pk)
81	Cartridge	12

**New Item & Formula**



### A.W. PERKINS EASY SPREAD STOVE GASKET CEMENT

New formula stove gasket cement in a new, easier to squeeze tube. Available in (2.0 fl. oz.) squeeze tube packed in 12 packs or bulk, 100/box.

ITEM NO.	SIZE	CS PK
82	Sq. tube	12
82B	Sq. tube	100 (bulk pk)





### A.W. PERKINS 1400°F HIGH TEMPERATURE FLAT BLACK PAINT

This high temp. (1400 degree F) stove paint, used by OEM's, sticks to stainless steel and aluminium without a primer. It is rust inhibiting, pre and post-heating. This paint won't peel or blister at 1400°F and is fast drying in under 5 minutes. Slight graying may occur above 1200 degrees F. IF USING OUR 1200°F COLORS USE ONE COAT OF THIS 1400°F AS A FIRST COAT.

ITEM NO.	SIZE	DESCRIPTION & COLOR	CS PK
90	16 oz. aerosol	1400°F Flat black paint.	12
91	Pint (brush-on)	1400°F Flat black paint.	12

### A.W. PERKINS HIGH TEMPERATURE STOVE PAINT

This high temp. (1200°F) stove paint comes in satin black, metallic black and charcoal metallic and is great for matching stove pipe to stoves. It sticks to stainless steel and aluminium without a primer. This paint won't peel or blister at 1200°F and is fast drying in under 5 minutes. Metallics can dull above 1000°F. USE 1400°F AS PRIMER.

ITEM NO.	SIZE	DESCRIPTION & COLOR	CS PK
92	16 oz. aerosol	1200°F Satin Black	12
92BM	16 oz. aerosol	1200°F Black Metallic	12
92CM	16 oz. aerosol	1200°F Charcoal Metallic	12



### A.W. PERKINS GRILL AND STOVE POLISH

Use this stove polish to restore beauty to cast iron stoves, grills, railings, fences, BBQ grills etc. It also protects natural cast iron from rusting while providing a lustrous sheen after buffing. **\*For use on unpainted cast iron only.**

ITEM NO.	SIZE	CS PK
51	8 fl. Oz.	12

### A.W. PERKINS LIQUID STOVE GASKET ADHESIVE

Clear high temperature resistant stove gasket, liquid water glass, adhesive for installing fiberglass gaskets on woodstoves, pellet stoves and wood or pellet fire-place inserts.

ITEM NO.	SIZE	CS PK
83	2 fl.oz.	12



### A.W. PERKINS POWDERED CREOSOTE REDUCER



Dry sprinkle-on creosote reducer. When used as directed in airtight wood fireplaces or stoves, this product will aid in reducing creosote buildup. Dries creosote to make it easier to remove. Apply when adding wood to the fire and get stack temperatures above 265°F to activate. Not a substitute for regular chimney cleaning.

ITEM NO.	SIZE	CS PK
180	1 lb.	12
181	2 lb.	6

### A.W. PERKINS SPRAY-ON CREOSOTE REMOVER



Spray-on creosote remover is effective on creosote glaze with regular use in airtight wood fireplaces or stoves. Reduces creosote to a brushable ash to aid in keeping chimneys clean. Apply when adding wood to the fire and get stack temperatures above 265°F to activate. Not a substitute for regular chimney cleaning.

ITEM NO.	SIZE	CS PK
190	32 fl. Oz.	6
191	1 Gallon refill size	4



### A.W. PERKINS DRY SOOT REDUCER

Reduces soot buildup in non-airtight woodstoves and wood fireplaces. Not a substitute for regular chimney cleaning.

ITEM NO.	SIZE	CS PK
200	16 oz.	12
201	32 oz.	6



### BIG STICK CREOSOTE & SOOT DESTROYER

Our Creosote & Soot Destroyer in a convenient toss-in stick format. No measuring or mess. When regularly tossed into a burning fire the creosote will be changed to a more brushable substance anywhere stack temperatures are above 265°F. Creates a colourful blue/green flame in wood burning fires. Not for use in fires used for cooking such as pizza ovens or cookouts. In easy open display box.

ITEM NO.	DESCRIPTION	CS PK
210	3 oz. Big Stick-soot and creosote destroyer stick w/Magicolor crystals	36



### A.W. PERKINS FIREPLACE MORTAR

A durable non-combustible refractory cement for repairing cracked or chipped firebrick and pointing mortar joints that will be subjected to intense heat. Available in a choice of three colors. Withstands temperatures to 2000 degrees F. Meets ASTM E136 test for non-combustibility.

ITEM NO.	SIZE	COLOR	CS PK
30	10.3 fl. Oz	Black	12
31	10.3 fl. Oz	Buff/Tan	12
32	10.3 fl. Oz	Gray	12



### A.W. PERKINS FURNACE CEMENT

Use furnace cement to install or reset stoves, inserts, furnaces and other heating appliances where high temperatures will be encountered. Withstands temperatures up to 2000 degrees F. Black Color.


ITEM NO.	SIZE	CS PK
40	10.3 fl.oz. cartridge	12
41	1/2 Pint	12
42	Pint	12
43	Quart	6



### A.W. PERKINS REFRACTORY CEMENT

Refractory cement is a heat-resistant premixed silicate mortar that sets brick hard after curing. Used for setting firebricks or to repoint the inside of masonry fireplaces. Withstands temperatures to 2000°F. Meets ASTM E136 non-combustibility test. Buff (tan) color.

ITEM NO.	SIZE	CS PK
250	1/2 gal.	4
251	1 gal.	2



## A.W. PERKINS CHIMNEY BRICK AND FLUE TILE MORTAR

Perkins NFPA 211 Chimney Brick & Flue Tile Mortar is an acid-resistant non-water soluble premixed calcium aluminate mortar that sets brick hard chemically without firing. Complies with NFPA 211 for setting flue tiles and firebox masonry that will be exposed to weather, moisture and acids formed by combustion.

ITEM NO.	SIZE	COLOR	CS PK
245	10 lbs.	Beige	2
246	50 lbs.	Beige (resealable 5 gal pail)	1
246G	50 lbs.	Special Run Gray Color	1

Photo Right - Masonry heater core capped with our Castable Fire Brick. The lintel is also cast from our material. This saves on cutting of these large sizes and allows custom shaping impossible with firebrick shapes.



Photo Below - A side cook plate top of a large Rocket Stove heated outdoor bench was cast 2" thick of Castable Fire Brick. A saw cut was done after cure to control crack location. Saw cuts every 12" more or less are recommended.



## A.W. PERKINS CASTABLE FIRE BRICK

Castable Fire Brick is a heat resistant dry material which after mixing with water chemically sets brick hard. 12 1/2 lbs makes a 12"x12"x1 1/4" casting. May be cast as a solid firebox bed or into custom firebrick shapes tailored to your exacting requirements. Withstands temperatures to 2200°F. Tan/gray, see pictures left.

ITEM NO.	SIZE	CS PK
240	12 1/2 lb.	2
241	50 lb.	1 (resealable 5 gal. pail)

Great for Fire Pit Construction!

## ASH BUSTER VAC ATTACHMENT



### Important Filter Care

Your Ash Buster filter must be installed and locked in place at all times in use. Before using each time verify that it is locked in place on the underside of the lid as shown. If there is any dirt or gritty debris on the lid surface in the area where the filter sits wipe it clean with a lightly dampened paper towel.

- Vacuum up cold ash only
- Filter is protected by metal screen however filter and plastic housing is not fireproof
- Inspect filter after every cleaning and clean it by running water through from clean side
- Dry washed filter thoroughly (12-24 hrs)
- If there is dust on the clean side of filter or near rubber seal outlet then change filter!
- Inspect the filter after every use looking for holes or worn areas and replace as needed with our #511 filter.

### Assembly Instructions below

#### THANK YOU FOR BUYING AN ASH BUSTER!

Follow instructions carefully and you will enjoy long service of your Ash Buster. It saves your household vacuum from being contaminated by ash which can be corrosive. As such, and for safety reasons, the Ash Buster should be emptied after each use.



Release lid and remove all contents from inside canister. Insert included pickup hose into receiver on lid. Line up pin so it will drop in slot.

#### FOR COLD ASH PICKUP ONLY:

Ash is very insulating and embers may stay lit for several hours after a fire is "out". If you shovel out most of the debris (into a fireproof ash pail) pay attention for glowing embers. If seen make sure there are none remaining when using the vacuum.



Twist hose to lock into lid. Put nozzle on hose end and attach to side of canister.

#### EMPTY AFTER EACH USE AND CLEAN FILTER:

Leaving ash in the container is sure to cause problems. Verify ash is cold and dispose of properly. If using ash in your garden consult your agricultural extension service for proper application rates.



Insert household vacuum tube into rubber grommet. Rubber expands to seal most vacuum hoses. If seal does not fit try another vacuum.

Clean filter thoroughly after each use, see sidebar to left.

## ASH-BUSTER PRE-FILTER VACUUM ATTACHMENT

The A.W. Perkins Ash-Buster is a 4 gallon (U.S.) metal tank with a HEPA filtration system that works off of your household vacuum. Simply attach your vacuum to the Ash-Buster by placing your home vacuum nozzle through the rubber grommet, turn it on and you're ready to go. Cleans ash out of your wood or pellet stove using a HEPA filtration system. The included metal hose is 4' long and has a aluminum pickup nozzle and micro tool cleaning kit included with this unit. These tools can be used to reach those small hard to reach areas inside your pellet or wood stove. The Ash-Buster is used with "COLD ASH ONLY". A replacement HEPA filter is available, part # 511. Imported item.

ITEM NO.	DESCRIPTION
500	Ash-Buster pre-filter system w/mini tool kit
511	Replacement HEPA filter for the Ash-Buster w/screen





### A.W. PERKINS PRE-PACKAGED WOOD STOVE GASKETS

Black graphite impregnated wood stove gaskets, pre-cut and bagged, ready for peg hook hanging. Graphite gasketing is more abrasion resistant and ensures a more consistent air tight seal. Door, window and tadpole style gaskets. Also for use on pellet stoves. \*Comes with PSA (pressure sensitive adhesive) tape, no cement needed.

ITEM NO.	SIZE	DESCRIPTION
119	5/16 rope w/ s/s jacket x 50"	Black graphite armoured gasket for VC stoves (packaged), known as Griddle Gasket
120	5/8" x 1/8" tape x 7'	Black graphite woodstove door gasket (pkg)
122	1/4" rope x 7'	Black graphite woodstove door gasket (pkg)
123	5/16" rope x 7'	Black graphite woodstove door gasket (pkg)
124	3/8" rope x 7'	Black graphite woodstove door gasket (pkg)
126	1/2" rope x 7'	Black graphite woodstove door gasket (pkg)
127	5/8" rope x 7'	Black graphite woodstove door gasket (pkg)
128	3/4" rope x 7'	Black graphite woodstove door gasket (pkg)
129	1" rope x 6'	Black graphite woodstove door gasket (pkg)
*130	11/16" x 3/16" tape x 54"	Black stove window gasket, thicker "clamshell"
*131	13/16" x 1/8" tape x 54"	Black stove window gasket, thinner, flat style
80	2.7 fl. oz.	Stove & Gasket Cement, hang tube 12/cs
81	10.3 fl. oz.	Stove & Gasket Cement, caulk cartridge 12/cs
82	2 fl. oz.	Easy Spread Gasket Cement 12/cs
82B	2 fl. oz.	As above but bulk packed 100/cs
83	2 fl. oz.	Clear hi-temp. liquid water glass adhes. 12/cs

### A.W. PERKINS S/S BULK GASKET DISPLAY

Bulk spooled gaskets (next page) 3' long stainless steel display now available. Holds 2, 15" window gaskets on the ends and usual 10" or 6" spools in the 3' long central portion. Displays may be connected such as in this 6' display by using velcro on the end panels.



### A.W. PERKINS VERMONT CASTINGS COMPLETE STOVE GASKET KITS

These complete gasket kits contain all the components needed to re-gasket your Vermont Castings wood stove. \*Note: kits do not include cement, order separately. Glass kits don't use cement. Case pack size varies.

ITEM NO.	DESCRIPTION
AW99	Complete kit for older Dutchwest stove. (Pre 1993)
AW3419	Complete kit for Encore stove
AW3421	Complete kit for Resolute Acclaim
AW3422	Defiant 1910/1945 Gasket Kit
AW3427	*Glass door gasket kit (110" of 3/16" black rope gasket)
AW3435	Winter-Warm System Gasket Kit
AW3440	Complete kit for Defiant, Vigilant, Resolute or Intrepid
AW3441	Griddle gasket kit, use our cement to adhere







## A.W. PERKINS BULK WOOD STOVE GASKETS ON SPOOLS

Black graphite impregnated wood stove gaskets in bulk rolls. Graphite gasketing is more abrasion resistant and ensures a more consistent air tight seal. Door, window and tadpole style gaskets. Also for use on pellet stoves. Window and tadpole gaskets come with PSA (pressure sensitive adhesive) tape backing. Most regular ropes and tapes are on a 10" spool as noted. Each spool marked with size/part #.

Tadpole tapes don't fit display. Display picture on prior page.



ITEM NO.	SIZE	DESCRIPTION & COLOR
149	1"x1/4" tape x 50'	Black graphite woodstove door gasket (bulk 10" dia. spool)
150	5/8"x 1/8" tape x 157'	Black graphite woodstove door gasket (bulk 10" dia. spool)
150W	3/4"x 1/8" tape x 100'	Black graphite woodstove door gasket (bulk 10" dia. spool)
151	3/16" rope x 200'	Black graphite woodstove door gasket (bulk 10" dia. spool)
152	1/4" rope x 200'	Black graphite woodstove door gasket (bulk 10" dia. spool)
153	5/16" rope x 200' (VC door)	Black graphite woodstove door gasket (bulk 10" dia. spool)
153J	9mm x 100' (old Jotul door)	Black graphite woodstove door gasket (bulk 10" dia. spool)
153M	10mm x 100' (Morso)	Black graphite door gasket (10")
154	3/8" rope x 132'	Black graphite woodstove door gasket (bulk 10" dia. spool)
155	7/16" rope x 100' (VC use)	Black graphite woodstove door gasket (bulk 10" dia. spool)
156	1/2" rope x 88'	Black graphite woodstove door gasket (bulk 10" dia. spool)
157	5/8" rope x 65'	Black graphite woodstove door gasket (bulk 10" dia. spool)
158	3/4" rope x 47'	Black graphite woodstove door gasket (bulk 10" dia. spool)
159	7/8" rope x 35'	Black graphite woodstove door gasket (bulk 10" dia. spool)
159W	7/8" WHITE rope x 25'	As above for Lopi, denser 10" spl.
160	1" rope x 25'	Black graphite woodstove door gasket (bulk 10" dia. spool)
163	HHT 3/8" bulb x 1" x 1.375"	Tadpole Tape, black w/PSA x 180'
164	HHT 1/2" bulb x 1/2" x 1.0"	Tadpole Tape, black w/PSA x 180'
165	1.5" wide x 180' (PSA)	Black graphite tadpole gasket 1/2" foil bulb (bulk large spool)
166	1.5" wide x 180' (PSA)	Black graphite tadpole gasket 5/8" foil bulb (bulk large spool)
167	1.5" wide x 180' (PSA)	Black graphite tadpole gasket, soft knit type (bulk large spool)
169	3/8" x 1/8" x 180' (PSA)	Black window gasket, flat, used within stoves too. (10" dia. spool)
170	11/16" tape x 80' (PSA) "bulb" is ~3/16" thick	Black window gasket, thicker "clamshell" (15" big spool)
171	13/16" tape x 90' (PSA) 3/16" to 7/32" thick	Black window gasket, thin, flat w/seam to fold on (15" big spool)
172	13/16" x 1/16" x 80' 10" spool	Woven Window "Ladder Tape", thinnest. 13/16" wide x 1/16" x 80'
VCGG	5/16" w/SS jacket x 75'(VC)	Black graphite armoured gasket for all VC griddles except Intrepid
80	2.7 fl. oz.	Stove & Gasket Cement, hang tube 12/cs
81	10.3 fl. oz.	Stove & Gasket Cement, caulk cartridge 12/cs
82	2 fl. oz.	Easy Spread Gasket Cement 12/cs
82B	2 fl. oz.	As above but bulk packed 100/cs
83	2 fl. oz.	Clear hi-temp. liquid water glass adhes. 12/cs



### **A.W. PERKINS THE POE WOODBURNER'S TOOL**

A great fireplace and wood stove tool. 36" long overall. "It is not a poker nor a hoe it's THE POE!" It allows separation of hot coals by pulling forward, flip it over and shove ashes back and then use tines to arrange hot embers for use in next load of fuel or to extinguish fire sooner.

ITEM NO. 300 CS PK 1

Vermont made



### **A.W. PERKINS CHIMNEY SWEEP/ FIREWOOD HANDLING GLOVES**

Wood fireplace gloves designed for chimney sweeps. These gloves offer hand and forearm coverage while cleaning wood fireplaces and chimneys. Also great for carrying firewood as arms and clothing are protected by denim gauntlet that reaches the armpit. (Pair)

ITEM NO. 275 SIZE 26" long overall CS PK 6




### **A.W. PERKINS MOISTURE METER**

Hearth Country firewood moisture meter. Large lit LCD with a padded carrying case and 9 volt battery supplied. Push the four prongs into firewood's split face to get a moisture reading between 3% and 40%. Wood with a 15% to 20% moisture level burns best, producing the most heat and minimum creosote build-up.

ITEM NO. 360 CS PK 6





## FIREEX CHIMNEY FIRE SUPPRESSANT

Chimney fire suppressant, stops chimney fires quickly. Throw entire bag into fireplace or stove. Chokes out chimney fires. Please follow instructions on package.

ITEM NO.	CS PK
AWP3412	6



## "STACK-IT" LOG RACK BRACKETS

Sturdy steel brackets used to hold 2 x 4's. Ideal for building log racks. Easy fast assembly without tools, screws or bolts. Can also be used for shelving, work benches and storage racks.

ITEM NO.	CS PK
AWP30360	6



## A.W. PERKINS STOVE PIPE THERMOMETER

This stovepipe thermometer is designed for vertical applications on all single wall chimney pipe. Fastening is provided primarily by the magnet, but it is imperative to use a safety wire on all vertical applications. Please consult your stove owners manual for optimum burn temperatures.


ITEM NO.	CS PK
260	12



## A.W. PERKINS GAS LEAK DETECTOR

This product is used to detect gas leaks in propane or natural gas stoves or fireplaces. 8 oz. bottle with twist off dauber top.

ITEM NO.	SIZE	CS PK
576	8 fl. Oz.	12



## A.W. PERKINS 1/4" PT CONSUMER METAL WIRE CHIMNEY BRUSHES

Traditional metal wire consumer grade chimney brushes. Ideal for the "DIY" homeowner.

ITEM NO.	SIZE	DESCRIPTION
10005	5" Round	Metal wire bristle brush w/1/4" PT (pipe thread) fitting
10006	6" Round	Metal wire bristle brush w/1/4" PT (pipe thread) fitting
10007	7" Round	Metal wire bristle brush w/1/4" PT (pipe thread) fitting
10008	8" Round	Metal wire bristle brush w/1/4" PT (pipe thread) fitting
10009	9" Round	Metal wire bristle brush w/1/4" PT (pipe thread) fitting
10010	10" Round	Metal wire bristle brush w/1/4" PT (pipe thread) fitting
10012	12" Round	Metal wire bristle brush w/1/4" PT (pipe thread) fitting
10066	6" x 6" Square	Metal wire bristle brush w/1/4" PT (pipe thread) fitting
10077	7" x 7" Square	Metal wire bristle brush w/1/4" PT (pipe thread) fitting
10088	8" x 8" Square	Metal wire bristle brush w/1/4" PT (pipe thread) fitting
11010	10" x 10" Square	Metal wire bristle brush w/1/4" PT (pipe thread) fitting
11111	11" x 11" Square	Metal wire bristle brush w/1/4" PT (pipe thread) fitting
11212	12" x 12" Square	Metal wire bristle brush w/1/4" PT (pipe thread) fitting
10610	6" x 10" Rect.	Metal wire bristle brush w/1/4" PT (pipe thread) fitting
10711	7" x 11" Rect.	Metal wire bristle brush w/1/4" PT (pipe thread) fitting
10812	8" x 12" Rect.	Metal wire bristle brush w/1/4" PT (pipe thread) fitting
11216	12" x 16" Rect.	Metal wire bristle brush w/1/4" PT (pipe thread) fitting



**NOTE:** The brushes on this page should not be spun or used for power sweeping.

## A.W. PERKINS 1/4" PT CONSUMER POLY CHIMNEY BRUSHES

These traditional polypropylene chimney brushes have a 1/4" PT (pipe thread) fitting. Ideal for the "DIY" homeowner.

ITEM NO.	SIZE	DESCRIPTION
20005	5" Round	Brush with polypropylene bristles
20006	6" Round	Brush with polypropylene bristles
20007	7" Round	Brush with polypropylene bristles
20008	8" Round	Brush with polypropylene bristles
20010	10" Round	Brush with polypropylene bristles



## A.W. PERKINS 1/4" CONSUMER GRADE CHIMNEY RODS

These traditional fiberglass rods have a 1/4" PT (pipe thread) fittings. Ideal for the "DIY" homeowner. The #38314 leader rod is very flexible and will not advance the brush if brush is restricted by creosote. **NOTE:** Fiberglass rods should not be spun or used for power sweeping.

ITEM NO.	SIZE	DESCRIPTION	CS PK
15036	36" x .350 Dia.	Fiberglass rod with 1/4" PT (pipe thread) fitting	25
15048	48" x .350 Dia.	Fiberglass rod with 1/4" PT (pipe thread) fitting	24
15072	72" x .350 Dia.	Fiberglass rod with 1/4" PT (pipe thread) fitting	24
38314	48" x .375 Dia.	Flexible Nylon leader rod 3/8" Dia. w/1/4" PT fitting	6

## A.W. PERKINS CONSUMER PELLET VENT CLEANING SYSTEM



### A.W. PERKINS PELLET/DRYER VENT CONSUMER GRADE BRUSHES - 5/16" THREAD

These pellet/dryer propeller vent brushes have a rounded plastic core, nylon bristles and can be used with a drill for an easy and consistent cleaning. 5/16"-18 threads. Available in 3" to 6" sizes. Can be used with the ES02- or 516-series of nylon rods. **Ideal for the DIY homeowner.**

**NOTE: Spin clockwise only.**

ITEM NO.	DESCRIPTION	CS PK
1603	3" diameter w/5/16-18 thread	4
1604	4" diameter w/5/16-18 thread	4
1605	5" diameter w/5/16-18 thread	4
1606	6" diameter w/5/16-18 thread	4

### PELLET/DRYER VENT CONSUMER GRADE RODS - 5/16" THREAD

5/16" thick pellet vent rods that fit the ES0x Series and 160x-series brushes, above. ESO-rods are 4 feet long. 516-series rods are 3 feet long. \*Spin clockwise only. Ideal for the DIY'er. 51612 is a 12 ft. starter kit of rods consisting of 4 x 3 ft. (516) rods. This kit does not contain any brushes. Choose your needed brush size from the choices above.

These pellet/dryer vent brushes have a twisted wire center with ball tip. Spin or push/pull. The ES-series brushes can only be used with a drill when using the ESDA drill adapter. \*Spin clockwise only. Available in 3", 4" and 5". Can be used with the ES0- or 516-series of nylon rods. **Ideal for the DIY homeowner.**

ITEM NO.	DESCRIPTION	CS PK
*ES03	3" x 5/16-18 thread	4
*ES04	4" x 5/16-18 thread	4
*ES05	5" x 5/16-18 thread	4
*ESDA	Drill adapter w/female 5/16-18 thread	

\*Note if spinning with a drill: The **ES0 series** of rods/brushes must use the ESDA drill adapter to rotate.



ITEM NO.	DESCRIPTION	CS PK
516	3 ft. x 5/16 dia. w/5/16-18 thread	25
51612	12 foot starter kit, 4 ea 3' rods	5
ES02	4 ft. x 5/16" dia. w/5/16-18 thread	25

### A.W. PERKINS 1/4" DIA. NYLON CONSUMER GRADE RODS

Nylon rods for the PV series of brushes only with 1/4-20 thread. Very flexible for pushing lightweight brushes above. These rods are for pellet vent cleaning only. For the stiffer dryer vent equivalent please see items # ES04 and #516 (above). **Ideal for DIY pellet vent cleaning.**

ITEM NO.	DESCRIPTION	CS PK
PVR4	48" X 1/4" diameter w/1/4-20 thread	25
PVR5	59" X 1/4" diameter w/1/4-20 thread	25

NOTE: The PV series of lighter 1/4" nylon rods and brushes are not recommended for dryer vent cleaning as the rods are too flexible. They will work in bathroom vents if used carefully. Don't use the s/s brushes in bathroom vents.



### A.W. PERKINS NYLON & S/S CONSUMER GRADE PELLET VENT BRUSHES-1/4" THREAD

These nylon pellet vent brushes have a twisted wire center with a ball tip. Used on 1/4" thick rods that are lighter than the ES02 and 516-series. For dryer vent brush please see items #ES04 and rod #516. Available in 3", 4" & 5" sizes. **Ideal for the DIY homeowner.**

ITEM NO.	DESCRIPTION	CS PK
PV3	3" w/1/4-20 thread, use w/PVR rods	4
PV4	4" w/1/4-20 thread, use w/PVR rods	4
PV5	5" w/1/4-20 thread, use w/PVR rods	4

These fine bristle stainless steel pellet vent brushes, used when a more thorough cleaning is warranted, have a twisted wire center with a ball tip and are used on 1/4" thick rods that are lighter than the ESO-and 516-series. For the dryer vent equivalent please see #ES04, above. Available in 3" & 4" sizes. **Ideal for the DIY homeowner.**

ITEM NO.	DESCRIPTION	CS PK
PV3SS	3" w/1/4-20 thread, use w/PVR rods	4
PV4SS	4" w/1/4-20 thread, use w/PVR rods	4



**Introducing the TPOWR™ Rotary Chimney Sweeping System.**

Use with your cordless drill to clean wood burning fireplace and stove chimneys in record time!  
 Removes flaky creosote, fly ash and debris with special "shark tooth" cutting whip line material.

**TWIN FLAT™** 3' long locking rods, whip brush and drill adapter made entirely in the U.S.A.

Exclusive, patented "anti-snag" rod end shapes essentially eliminate "hang ups" that affect simple chimney rods.

Two lengths of whip brush material included. Perfect for chimney interior dimensions of 5" round to 16" x 16".

**TPOWR™ Sweep Kit Components**

30' Kit Shown, #RK30, rods, drill pc,  
 12" and 24" strands included.  
 Stow bag incl. w/RK24 and RK30



**TWIN FLAT™ Locking Rods, #R1**

Exclusive Anti-Snag Design



**TWIN FLAT™ Drill Adapter #DA1**


Drill Adapter, #DA1. **TWIN FLAT™** surfaces drive the **TPOWR™** Sweep Drill Adapter. 3/8" shank. No button is needed, saving effort when adding and taking off rods. All cleaning completed from the bottom, its much safer and easier!


Whip Brush/First Rod, #WR1. The whip brush is integrated in the first rod. The patented head has Anti-Snag action in both directions to prevent almost all hang ups while pushing up or coming back down the flue. Rugged aluminum end, the other end is a **TWIN FLAT™** female. No tool needed to change the included 12" and 24" strands to fit 5" to 16"x16" flues.



**Available Systems**

- | Item #  | Description                        |
|---------|------------------------------------|
| RK15    | 15' Kit, instructions in a shipper |
| RK24    | 24' Kit, instructions in carry bag |
| RK30    | 30' Kit, instructions in carry bag |
| R1      | 3' Rod Extension, 7/16" dia.       |
| WR1     | Brush/First Rod, 3' long           |
| DA1     | TWIN FLAT Drill Adapter            |
| 41246-3 | 24" strands for whip brush, 3 pcs  |
| 41299-3 | 12" strands for whip brush, 3 pcs  |
| RB1     | Rod Bag, 33" long w/pocket, logo   |





# A.W. PERKINS BUTTONLOK™ POWER SWEEPING SYSTEM & CHIMNEY SWEEP TOOLS

2

The A.W. Perkins patented ButtonLok™ rotary power sweeping system consists of nylon and other rods, tools and accessories. Rotary power sweeping is much more effective than traditional push/pull brushing. All of the rods and tools clip and unclip easily using the quick connect ButtonLok™ system. Most cleaning is done from inside the home speeding up the sweeping process and improving safety for the sweep. No more climbing up ladders or setting up scaffolds for those hard to reach chimneys. All you need additionally is a cordless battery operated drill, a Rovac® HEPA Vacuum and you're ready to go. Make your next sweep easy with the Super Scrub Power Sweeping Whip (#7265 pictured). It passes through dampers easily then expands out to scrub the flue removing soot and flaky creosote. One size fits most, it can be used in masonry chimney flues (\*up to 12" by 16"), as well as factory built chimneys and larger stainless steel liners. No more need to carry a large inventory of different sizes or types of brushes. Our smaller Mini-Medusa fits 5" to 8" lined or unlined flues perfectly. And we even have a larger Mega-Medusa that may be strung with whip line up to 60" long for cleaning industrial stacks! A vast array of tools, tile breakers, tile extractors and steel Enforcer rods are also available for the ButtonLok system.

If you have used any type of chimney or dryer vent cleaning rod in the past, I'm sure you can see how the ButtonLok™ connector will save you time and energy when you sweep. The rods are designed for use with the rotary cleaning tools and with our Video Inspection Flashcorder or Camera System. Our innovative products have taken both the dryer vent and chimney cleaning industries to a higher level. Our tools allow you to complete more jobs in less time, at higher quality, thereby making you the greatest profit.

*ButtonLok protected by U.S. Pat. Nos. 6,688,800 and 10,288,123, others pending worldwide*

800-698-7412


[www.rodtechusa.com](http://www.rodtechusa.com)




### MINI-MEDUSA™ SUPER SCRUB POWER SWEEPING WHIP

This small Super Scrub whip is designed for soot and flaky creosote. Use this model for 7" flues or less. For use with large Buttonlok rods, usually the 1/2" rods shown on next page. Comes with an anti-sag cap to cover the end of the whip cup.

ITEM NO.	SIZE	DESCRIPTION
7260	Small 12"	Small Power Whip for flues up to 7" diameter
7260-11	.155" dia.	Refill for #7260, 8@ 12" + 3@ 4"
41099	.155" dia	x 12" single strand
7267	3/8-16	Ball top for 7260, 7265, 7270



7265  
24" Medusa



7270  
36" Mega

Close up 2x  
the strands

## THE MEDUSA™ AND MEGA-MEDUSA SUPER SCRUB w/LG. BUTTONLOK

This large Super Scrub Medusa whip is designed for soot and flaky creosote. Use this model for up to 12" x 16" flues. For use with 5/8" or larger ButtonLok rods. Also very effective in factory built chimney and stainless steel liner systems. **NEW** Mega-Medusa is a larger, 36" diameter Super Scrub with twice as many strands for huge chimneys or industrial stacks. Effective up to 24" x 24". Use 3/4" Slick Rods (7530 or 7240D) for best power transfer with Mega-Medusa.


**NOTE:** For larger flues, custom sized heads can be ordered up to 60". Flues over 50' tall benefit from a MPS mid-point stabilizer every 30'. Call us for giant stack solutions, we have built systems for 300' tall stacks.

ITEM NO.	SIZE	DESCRIPTION
7265	large 24"	Large Power Whip for masonry chimneys up to 12" x 16" flue
7265-11	Refill	.155" strands, 8 ea 24" plus 3 ea 4"
41246	1 ea 24"	Single strand .155" x 24"
41246-72	72 ea 24"	Bulk pack 72 strands .155" x 24"
7270	XL, 36"	Mega-Medusa w/16 strands @36"
41249	1 ea 36"	Single strand .155" x 36"
MPS	24" nominal	Mid-Point Stabilizer, specify size
7267	3/8-16	Guide ball for #7260, 7265 and 7270

## OUR LATEST WHIP DESIGN MEDUSA DELUXE, w/LG. BUTTONLOK

All aluminum construction with a sealed up hub to eliminate hang-ups. 12 strands per head for improved scrubbing action. The light aluminum design reduces battery use and "centers up" easier. The head can be re-strung just like our traditional Medusa products. Any size may be made, just call! Available in heavy, more aggressive .155" red or .120" green light strands for gentle scrubbing action in liners and factory built chimneys.

ITEM NO.	SIZE	DESCRIPTION
7260D	Small 12"	.155" Red, heavy duty. For flues to 7" diameter
7260DL	Small 12"	.120" Green is gentle on flues to 7" diameter
41401-72	12"	72 .120" dia. x 12" green strands for item 7260DL
7261DL	Med. 16"	.120" Green is gentle on flues to 12" diameter
41400-72	16"	72 .120" dia. x 16" green strands for item 7261DL
7265D	Large 24"	.155" Red, heavy duty. For flues up to 12"x16"
41783	M10	Guide ball fits ONLY Medusa Deluxe items




7260DL Light-weight



7265D Medusa Deluxe Hub

**A.W. PERKINS BUTTONLOK POWER SWEEPING SYSTEM**



**EURO WHIP AND BIRD NEST REMOVER**


Stainless steel strands with welded tips are gentle on liners and effectively remove soot and flaky creosote. Fits through openings as small as 1 3/4" and helps open up creosote stuffed chimneys for the larger chain whip. Bird nest 4" wing added to the top of this whip chops up sticks. In place of steel strands one may install the .155" Medusa nylon whip material to make a gentle, easy change whip with only four strands. Large ButtonLok connector.

ITEM NO.	SIZE	DESCRIPTION
7266	24"	4x24" S/S Strands, w/Bird Nest Remover Wing
7266S	24"	Whip w/4x24" S/S Strands only
7266C	24"	4x24" s/s to refill a 7266 or 7266S Euro Whip

**A.W. PERKINS CHAIN WHIP w/ LARGE BUTTONLOK FITTING**

This Chain Whip is designed to remove tough creosote build-up and connects to the large ButtonLok rods. Recommended to use 3/4" Slick Rods or Steel Enforcer Rods.

ITEM NO.	SIZE	DESCRIPTION
7245	Small	Chain whip set for smaller flues to 8"x8"
7245L	Large	Chain whip set for larger flues up to 12" x 12"



#7255 in action



Before and After use of Chain Whip

Now in 3 sizes to fit more flues and industrial stacks!



**A.W. PERKINS DEGLAZING TOOL w/ LARGE BUTTONLOK FITTING**

This Cable Whip tool w/3 wire loops is designed for deglazing. Ideal in masonry flues with a thin layer of creosote. For use with 5/8" or larger ButtonLok rods. For Large and XL use 7530 or 7540D 3/4" Slick Rods.

ITEM NO.	SIZE	DESCRIPTION
7255	Regular	14" Cable whip for flues up to 12" x 12"
7255C	Refill	1/4" Cable to make one 14" cable loop refill
7256	Large	24" Cable whip for flues up to 18" x 18"
7256C	Refill	1/4" Cable to make one 24" cable loop refill
7257	XL	30" Cable whip for flues up to 24" x 24"
7257C	Refill	1/4" Cable to make one 30" cable loop refill






**A.W. PERKINS BLACK POLY POWER SWEEP RODS w/LARGE BUTTONLOK**

These heavy duty black poly rods with large ButtonLok fittings are used for masonry chimney power sweeping. Used with the Medusa™ Super Scrub Power Sweeping Whip (#7265) or Euro Whip (#7266). Sweep the chimney from inside the house with your cordless drill. For masonry chimneys of any size up to 12" x16" internally. \*Note: If there are turns within the flue use the 1230/1250 nylon Superflex rod as your starter rod. This more flexible rod will help guide the thicker rods through the chimney. Clean larger chimneys, up to 24"x24", with our Mega Medusa (#7270). These rods are repairable in the field or by us, just call.

ITEM NO.	SIZE	DESCRIPTION
7753	3' x 3/4" diameter	Black poly rods with large ButtonLok fittings, more flexible not as rugged
8752	2' x 7/8" diameter	Black poly rods with large ButtonLok fittings. Ideal size for Porky Brush (p. 25)
8753	3' x 7/8" diameter	Black poly rods with large ButtonLok fittings
8754*	4' x 7/8" diameter	Black poly rods with large ButtonLok fittings
8755*	5' x 7/8" diameter	Black poly rods with large ButtonLok fittings. Most popular for fireplaces.
8756*	6' x 7/8" diameter	Black poly rods with large ButtonLok fittings



**NEW! NO TOOL LARGE MISSILE WHIP**

Refill these lightweight whips in seconds! Available in 12", 24" nylon strands and 10" wire version we call "the scratcher". Light aluminum hub, the strands simply double back on themselves to secure and they stay in place in use.

ITEM NO.	SIZE	DESCRIPTION
RO13	12"	.155" shark tooth strands x 12", 6 strands
RO14	24"	.155" shark tooth strands x 24", 6 strands
RO23	10"	1/8" stainless cable x 10", 6 strands

**A.W. PERKINS SUPERFLEX WHITE NYLON RODS w/LARGE BUTTONLOK**

These flexible white nylon rods are ideal for stainless liners or pre-fab factory built chimney systems up to 8" round. Also useful as leader rods followed by thicker rods when bends are present in larger flues. Exclusive Snag Less end to reduce hooking on liner edges, etc.

ITEM NO.	SIZE	DESCRIPTION
1230	3' rod x 1/2" diameter	White nylon rod with large Snag Less ButtonLok fittings
1250*	5' rod x 1/2" diameter	White nylon rod with large Snag Less ButtonLok fittings



**A.W. PERKINS BRIGHT WHITE SLICK RODS w/LARGE BUTTONLOK**

Slick rods in three thicknesses. This material is more freeze resistant than nylon, therefore better suited to colder regions. The 1/2" size is for flues up to 8" round, the 5/8" is for fireplace sweeping and light deglazing. The 3/4" rod is for heavy deglazing or very large flues.

ITEM NO.	SIZE	DESCRIPTION
1230S	3' rod x 1/2" diameter	Bright White "Slick" rod with large Snag Less ButtonLok fittings
1250S*	5' rod x 1/2" diameter	Bright White "Slick" rod with large Snag Less ButtonLok fittings
5830	3' rod x 5/8" diameter	Bright White "Slick" rod with large ButtonLok fittings
5850*	5' rod x 5/8" diameter	Bright White "Slick" rod with large ButtonLok fittings
7530	3' rod X 3/4" dia.	Bright White "Slick" rod with large ButtonLok fittings, very stiff.

\*Please note - UPS surcharge as box for this item is over 48"

## PTERODACTILE TILE PULLER AND SETTER - MINI AND LARGE VERSIONS

The Ultimate Tile Puller and Setter. Worldwide Patented Pterodactile Tile Remover/Setter is saving sweeps time and frustration on many reline jobs. Use with your existing ButtonLok or our new heavy duty ButtonLok II Double Button Rods. Removes whole tiles if they aren't "slushed in". Takes out large pieces/block in other cases saving time over "bucketing out" especially when offsets are present. Available in small and large sizes. Buy both for optimal use with two person or larger crews. Built at our plant in Rutland, Vermont, with 12 mo. warranty.

### T1V2 - Large Pterodactile

Rugged longer striking jaw smashes the mortar surrounding tiles allowing you to get a "bite" on the tile. Jaws open wide to grab block up to 4" thick. Replaceable polyurethane jaws. Heavy plate steel. Winch point for extra heavy lifts.

### T2 - Small Mini-Pterodactile

Lighter weight cast aluminum for picking up loosened tiles or helping with large tile lifts in concert with a T1. Locking jaw makes tool a big pincer allowing you to pick up a dropped tool, or unlock to flex to grab tile. T2's narrow inner jaw allows it to grip round tiles that are difficult to break out. Adjustable winch point plumbs T2 depending on tile size.

### Best Rods for Pterodactile, Wedge Tool also useful

7540D Double ButtonLok II 3/4" Solid x 4' rods, below. P1726B Wedge 1.5" wide, 4 lbs. More easily removes mortar from inside walls prior to dropping stainless liner, right.



7540D

Double ButtonLok

P1726B



Round tiles pulled at a NY reline job. We left one flue in place and removed 3 that got new liners.

T1V2



T2



T1V2 on a NH job



Customer supplied picture c/o Century Chimney in Ohio



Use both pullers to break tiles free



Pull wythes easily



Grab large pieces

## GREAT 2 Pterodactile DEAL!

SPECIAL - Buy both and receive 2 free #7530D Double ButtonLok 3' Rods!

## A.W. PERKINS BUTTONLOK II ROD W/LARGE DOUBLE BUTTONLOK

**Double  
ButtonLok**



**\*\*NEW\*\*** A better choice for tile breaking, heavy deglazing operations and when used with our PterodactILE tile tools. Slick rod material is rugged, stays cleaner, resists breaking down to -60F and is easier to hold while tile breaking compared to the legacy steel rods. Short rod used for safer first tile breakout. Standard 4' length is also safer-to-use length than 5' steel rods. Will connect to regular B/L rod if more length needed in a pinch.

ITEM NO.	SIZE	DESCRIPTION
7520D	3/4" x 2'	Short Double ButtonLok Solid Slick rod, solid 3/4" co-polymer material
7540D	3/4" x 4'	Double ButtonLok Solid Slick rod, solid 3/4" co-polymer material



Nut - 41213  
2.5' Rod w/nuts - 41093  
5' Rod w/nuts - 41094




## LARGE BUTTONLOK - ENFORCER STEEL RODS

These steel rods and adapters are used for tile breaking. Working from the top of the chimney along with the tile breakers listed below. Start with #1410 or #1425 to break first tiles and then proceed with longer rods. Use a 7+ amp drill with 1/2" chuck and a #2259 (or #1410) in drill. You can also use the safety Spinner Handle, item 2269S (page 20). Rods can be rebuilt using parts shown in the inset pic. Converter rod allows use of old style rods w/BL tools.

ITEM NO.	SIZE	DESCRIPTION
1410	1/4" steel rod x 1'	1' steel starter rod . Used as the drill adapter or first tile breaker (top down).
1425	1/4" steel rod x 2.5'	2.5' (foot) steel starter rod. Use a drill adapter or #1410 with this part
1450	1/4" dia. x 5'	Standard length 5' (foot) steel rod
1425C	1/4"x 2.5' converter	Converter rod. Large male B/L to small female B/L
2259	1/2" shank	Heavy duty drill adapter - if no 1410 use
2401	M Rod End	Male Enforcer rod replacement end
2402	F Rod End	Female Enforcer rod replacement end
41093	2.5' Rod only	Complete with 2 nuts to rebuild 2.5' rod
41094	5' Rod only	Complete with 2 nuts to rebuild 5' rod
41213	Nuts only	Nuts to make drill adapter - 5/8 thread

## A.W. PERKINS TILE BREAKERS w/ LARGE DOUBLE BUTTONLOK

**Double  
ButtonLok**




Standard tile breakers to be used with the large ButtonLok Steel or the new #7540D 3/4" Slick Rods with Double ButtonLok connectors. Hardened steel.

ITEM NO.	SIZE	DESCRIPTION
BTB22	2" x 2"	Mini square tile breaker w/Double ButtonLok female end. For tile <4".
BTB44	4" x 4"	Small square tile breaker w/Double ButtonLok female end
BTB46	4" x 6"	Large rectangular tile breaker w/ Double ButtonLok female end

## A.W. PERKINS HD TILE BREAKERS w/LARGE DOUBLE BUTTONLOK II

**Double  
ButtonLok**



Heavy duty double offset tile breaker to be used with the new 7540D Double ButtonLok Rods or Steel Enforcer Rods. Hardened plate steel for longer life.


ITEM NO.	SIZE	DESCRIPTION
BTB22H	2 @ 2" x 2"	Mini -Double offset heavy duty tile breaker w/large Double ButtonLok
BTB44H	2 @ 4" x 4"	Double offset heavy duty tile breaker w/large Double ButtonLok

**Double  
ButtonLok**



ButtonLok Tile Knocker w/chains and pucks. Use in square or rectangular flues only. This breaker makes smaller pieces than plate types. With double ButtonLok II female end. **Will not work in round flues.**

ITEM NO.	SIZE	DESCRIPTION
BTBK	N/A	Tile Knocker w/chains and pucks. With large Double ButtonLok female



## A.W. PERKINS LARGE BUTTONLOK CONNECTORS AND ADAPTERS

Large ButtonLok connectors used to adapt to other systems in all sizes. Includes 3/8" NPT thread, Universal thread, ProFlex as well as the Viper system. There are also adapters for A.W. Perkins' large to small & small to large ButtonLok systems and RoKleen/ProKleen and ChimScan.

### ITEM NO. DESCRIPTION

2210	Male ProFlex/female ButtonLok w/riquet to convert old rods Also used as a brush adapter to ButtonLok for P36 to P316.
2211	Female Proflex/male ButtonLok w/riquet to convert old rods
2238	Female 3/8" NPT w/ButtonLok female (brush adapter)
2239	ButtonLok female w/male 3/8" NPT to convert old rods
2240	ButtonLok Male w/female 3/8" NPT to convert old rods
2240V	Viper adapter. ButtonLok male w/male M10 & jam nut
7401	Adapter w/small ButtonLok male & large ButtonLok female
7402	Adapter w/large ButtonLok male & small ButtonLok female
2405	Cleaning tool adapter ButtonLok to RoKleen/Prokleen tools
7321	Chim-Scan Adapter, fits some models, call us



## \*\*NEW\*\* A.W. PERKINS EZ DRIVER BUTTONLOK DRILL ADAPTERS

Bottom Up use only! A real timesaving innovation these drill adapters have a specially shaped button which depresses itself when connecting AND disconnecting the driver from the rod end. Saves 25% or more of the time taken per cleaning. Stop fiddling with buttons, especially appreciated on the way back down the chimney! **Not for use** when working top down - it will fall out of drill!

ITEM NO.	SIZE	DESCRIPTION
2258EZ	3/8" shank	EZ Driver Drill Adapter
2259EZ	1/2" shank	Heavy Duty EZ Drill Adapter

## A.W. PERKINS LARGE BUTTONLOK DRILL ADAPTERS FOR TOP DOWN & BOTTOM UP

Use these drill adapters, right, with all of the large ButtonLok system components for power sweeping. For use top down or bottom up. See EZ Driver (top R.) for bottom-up only adapters.




ITEM NO.	SIZE	DESCRIPTION
2258	3/8" shank	Standard Drill Adapter
2259	1/2" shank	Heavy Duty Drill Adapter

## OUR LATEST INNOVATION THE "SLIDE-SPINNER"

The safest way to power sweep and break out tiles! Used as shown in power sweeping mode the white tube slides out onto the rod to stabilize it as you would have previously done by hand. Many sweeps have "wrapped up" a glove into the spinning rod, this device eliminates that possibility. For top-down tile breaking the tube stays put w/hand on tube stabilizing and ready to grab the stack of rods if the chuck slips. Non-sliding model with ball bearings for tile breaking only.

ITEM NO.	SIZE	DESCRIPTION
2269S	Large B/L	Large ButtonLok Slide Spinner
2269	Large B/L	No slide tube, ball bearing spinner





### A.W.PERKINS WOODCORE BRUSHES W/LG. BUTTONLOK CONNECTORS

ButtonFlex woodcore poly brushes w/large ButtonLok connectors. Pick a size that is 1 to 2" larger than the flue. Typically used for push/pull sweeping of flues with dusty or light fly ash residue. Air ducts, ZC fireplaces, oil, etc. Threaded version available, see pg. xx.

ITEM NO.	SIZE	DESCRIPTION
F6B	6"	Wood core poly brush w/large
F8B	8"	Wood core poly brush w/large
F12B	12"	Wood core poly brush w/large
F16B	16"	Wood core poly brush w/large

### A.W.PERKINS DUCT CLEANING BRUSHES W/LARGE BUTTONLOK

Floppy nylon bristle duct cleaning brushes for the large ButtonLok power sweep system. Oversize the brush 2" to 6" from pipe size for gentle cleaning with large ButtonLok power sweeping rods or push/pull with ButtonLok fiberglass or poly rods. 4" fill height. Available with 3/8 PT as well, see page xx.

ITEM NO.	SIZE	DESCRIPTION
32N12B	12"	Heavy duty duct brush .032" nylon bristle
50N16B	16"	Heavy duty duct brush .050" nylon bristle
50N24B	24"	Heavy duty duct brush .050" nylon bristle




### A.W. PERKINS SMOKE CHAMBER BRUSHES W/LG. BUTTONLOK

Brush with large ButtonLok fitting ideal for power sweeping the smoke chamber. Medium yellow bristle version ideal for dusty debris. Stiff black version is more aggressive for sweeping heavier buildup. To use connect our drill adapter to your cordless drill and start at the top of firebox and work your way down one course at a time. Bristles wear down over time. 14" diameter when spun. Special run of 20" diameter version for wide fireboxes available. Best rod to use is our 8752, 2' x 7/8" dia. black poly rod.

ITEM NO.	DESCRIPTION
6734B	Smoke chamber brush w/lg. ButtonLok w/ medium (yellow) bristles
6735B	Smoke chamber brush w/lg. ButtonLok w/ stiff (black) bristles
6735B-20	20" diameter Smoke chamber brush w/lg. ButtonLok w/stiff (black) bristles



32N12B on 8755 rod



## A.W. PERKINS LARGE BUTTONLOK CHIMNEY SCRAPERS

Hinged and fixed scrapers for the ButtonLok system. The hinged models are in the up position when lowered down chimney and flips down when pulled up against objects.

### ITEM NO. DESCRIPTION

- P1755B 5" Fixed scraper w/large B/L connection
- P1764B 4" Hinged scraper w/large B/L connection
- P1766B 6" Hinged scraper w/large B/L connection



Our new chisel is designed to run the inside wall of a masonry chimney taking off "clinkers" and "snots" left from initial construction. Double ButtonLok to match 7530D or 7540D rods.

## A.W. PERKINS LARGE BUTTONLOK TOOLS (ASSORTED)

Assorted tools for hand work in chimney construction/demolition using large ButtonLok fittings. Also available with brass UJ fittings (see page ). Made UK.

### ITEM NO. DESCRIPTION

- P1720B Harpoon w/large ButtonLok connection
- P1726B Wedge, 1.5" wide face x 8" long w/Double ButtonLok II
- P1730B Double worm screw nest remover w/large B/L
- P1740B Boring tool w/large B/L connection
- P1745B Retrieving tool w/large B/L connection

## A.W. PERKINS ROD CADDYS & COVERS



7605 w/7621 cover in place

Nylon bag is heavy duty and holds up to 25 dryer vent or 15 chimney rods. Double bottom design with padding in the 57" version for extra strength. A.W. Perkins logo. We also have the whip cover or hood that covers the Medusa strands so you don't accidentally soil the customers furniture or walls with your dirty whip head. Vent Vision versions imported. Balance are made in USA.

ITEM NO.	SIZE	DESCRIPTION
7603	6" wide x 33"	Ballistic nylon caddy, short
7605	6" wide x 57"	Ballistic nylon caddy, long
7615	6" wide x 47"	Zip Up caddy, 47" tall
7621	5" wide	Whip cover/hood, 12" tall
7613	4" dia. x 40"	Pellet/dryer vent brush only
7703	5" round	Vent Vision open caddy, 33"
7713	5" round	Stand Up VV caddy x 33" high



7703 Caddy close up - holds dryer or chimney rods

7615 Zip-up caddy



7713 Stand up caddy



# NEW! HIGHEST QUALITY P100 AND OV/P100 RESPIRATORS

## Respirators with or without goggles with complete dust protection for chimney and dryer vent professionals!

Personal protection of the highest quality, made in the United Kingdom. Extremely light weight design with low profile pleated filter. Excellent visibility and easy breathe exhalation valve. Goggle version has separated nose/mouth breathing section plus vent holes to limit fogging of lens interior. Lens protectors available as is a hard protective case. Wide face seal of special rubber that seals well without irritation. OV filter is activated carbon and P100 filter provides HEPA filtration of 99.9% down to 0.3 micron particle size. Two sizes to fit almost everyone. Call for fit advice.

ITEM NO.	SIZE	DESCRIPTION
SPR656	Sm/Med	OV/P100 Mask Respirator, nose/mouth only, weighs under 6 oz.
SPR657	Med/Lg	OV/P100 Mask Respirator, nose/mouth only, weighs under 6 oz.
SPR658	One Size	OV/P100 Filter Replacement, pair
SPR659	Sm/Med	OV/P100 Mask Respirator, w/eye protecting goggles
SPR660	Med/Lg	OV/P100 Mask Respirator, w/eye protecting goggles
SPR451	Sm/Med	P100 Mask Respirator, nose/mouth only, weighs under 5 oz.
SPR457	Med/Lg	P100 Mask Respirator, nose/mouth only, weighs under 5 oz.
SPR549	Sm/Med	P100 Mask Respirator, w/eye protecting goggles
SPR550	Med/Lg	P100 Mask Respirator, w/eye protecting goggles
SPR321	One Size	P100 Filter Replacement, pair
SPM001	Small	Case for P100 mouth/nose only versions SPR451/457
SPM007	Large	Case for goggle versions SPR549/550 and SPR659/660
SPM008		Case for OV/P100 mouth/nose only version SPR656/657
SPM520	One Size	Lens Protector Sheets for SPR549/550 (10 each)
SPM639	One Size	Eye/Rx Inserts, fits both SPR549 and SPR550, will need your Rx

P100 Filter



Lens Protector



Case



Prescription insert



P100 only  
#SPR549/550

Organic vapor/  
P100 #SPR656/657




## A.W. PERKINS "ROVAC" AIR PURIFYING RESPIRATOR SYSTEM - "PAPR"

Complete respirator system (# 9801A) as pictured. Contains combination HEPA/organic vapor filter, headgear (bonnet w/ yoke, face seal and clear lens), Li-ion rechargeable battery, battery charger, air pump w/belted carrying case, air flow tester and covered breathing tube. **NOTE:** OSHA minimum air flow is 6 CFM, the red line on the tester. A dirty filter will reduce air flow, check w/tester often!



ITEM NO.	DESCRIPTION
9801A	Complete respirator system as pictured.
9821	Replacement HEPA/organic vapor filter
9822	Replacement headgear-bonnet w/face seal and clear lens
9823	Replacement battery
9824	Battery charger
9825	Covered breathing replacement tube





# A.W.PERKINS TRADITIONAL CHIMNEY SWEEP RODS AND TOOLS

3

A.W. Perkins offers a complete line of traditional threaded rods and brushes for all of your chimney sweeping needs. We offer traditional 3/8" PT fittings as well as Universal brass fittings ("UJ") for the professional sweep along with RoKleen Style tile breakers and chain whips. Our lightest rods and brushes with 1/4" PT fittings for the "DIY" homeowner are in catalog Sect. 1.



**800-698-7412**

[www.rodtechusa.com](http://www.rodtechusa.com)

800-698-7412

36 Curtis Ave.  
Rutland, VT 05701



### A.W. PERKINS FIBERGLASS RODS W/ 3/8" PIPE THREAD CONNECTORS

These traditional Heavy Duty fiberglass rods come with 3/8" PT (pipe thread) connectors. Used for traditional chimney sweeping with our H and HF series metal brushes and our 75P and 50P series poly brushes. The yellow rods are not flexible, the black can handle small offsets. ButtonLok versions on p. 43. USA Made.

ITEM NO.	SIZE	DESCRIPTION
16048	.440" x 48"	Black HD fiberglass rod w/3/8" NPT
16060	.440" x 60"	Black HD fiberglass rod w/3/8" NPT
16072	.440" x 72"	Black HD fiberglass rod w/3/8" NPT
17032	.480" x 32"	Yellow extra HD fiberglass rod w/3/8" NPT
17072	.480" x 72"	Yellow extra HD fiberglass rod w/3/8" NPT



### A.W. PERKINS "HD" OVAL METAL WIRE BRUSHES w/3/8" PT MALE

Traditional heavy duty oval chimney brushes with round metal wire bristles and 3/8" PT (pipe thread) connector. Poly bristle versions below right and ButtonLok on p. 33.

ITEM NO.	SIZE	CONSTRUCTION
HO4257	4 1/4" X 7"	Strong Double Stem/Double Spiral
HO42510	4 1/4" x 10"	Strong Double Stem/Double Spiral
HO45105	4 1/2" x 10 1/2"	Strong Double Stem/Double Spiral
HO425135	4 1/4" x 13 1/2"	Strong Double Stem/Double Spiral
HO462514	4 5/8" x 14"	Strong Double Stem/Double Spiral
H57595	9"x5.75"	Special Bowed Rectangle DS/DS



### A.W. PERKINS "HD" METAL WIRE BRUSHES W/3/8" PT MALE

Traditional heavy duty round, square or rectangular chimney brushes with round metal wire bristles and 3/8" PT (Pipe Thread) connector. 7" fill height. The finest chimney brushes, made in the USA. Custom brushes are available. ButtonLok versions on p. 44.

ITEM NO.	SIZE	CONSTRUCTION
<b>ROUND SIZES</b>		
H5	5" Rd.	Strong Double Stem/Double Spiral
H6	6" Rd.	Strong Double Stem/Double Spiral
H7	7" Rd.	Strong Double Stem/Double Spiral
H8	8" Rd.	Strong Double Stem/Double Spiral
H9	9" Rd.	Strong Double Stem/Double Spiral
H10	10" Rd.	Strong Double Stem/Double Spiral
H11	11" Rd.	Strong Double Stem/Double Spiral
H12	12" Rd.	Strong Double Stem/Double Spiral
H14	14" Rd.	Strong Double Stem/Double Spiral

<b>SQUARE SIZES</b>		
H66	6" Sq.	Strong Double Stem/Double Spiral
H77	7" Sq.	Strong Double Stem/Double Spiral
H88	8" Sq.	Strong Double Stem/Double Spiral
H99	9" Sq.	Strong Double Stem/Double Spiral
H1010	10" Sq.	Strong Double Stem/Double Spiral
H1111	11" Sq.	Strong Double Stem/Double Spiral
H1212	12" Sq.	Strong Double Stem/Double Spiral
H1414	14" Sq.	Strong Double Stem/Double Spiral
H1616	16" Sq.	Strong Double Stem/Double Spiral


<b>RECTANGULAR SIZES</b>		
H610	6"x10"	Strong Double Stem/Double Spiral
H711	7"x11"	Strong Double Stem/Double Spiral
H812	8"x12"	Strong Double Stem/Double Spiral
H913	9"x13"	Strong Double Stem/Double Spiral
H1014	10"x14"	Strong Double Stem/Double Spiral
H1115	11"x15"	Strong Double Stem/Double Spiral
H1216	12"x16"	Strong Double Stem/Double Spiral
H57595	9"x5.75"	Special Bowed Rectangle DS/DS

### QUICK CONNECTS FOR 3/8" NPT RODS



Use these connectors to turn your 3/8" (PT) pipe thread rods into quick connect rods for push/pull brushing only. Does not make fiberglass rods into power sweeping rods!

ITEM NO.	DESCRIPTION.	PICTURED LEFT TO RIGHT, QS, QF, QM
QS	Socket with 3/8" NPT female	
QF	Male plug with 3/8" NPT female	
QM	Male plug with 3/8" NPT male	



### A.W. PERKINS GALVANIZED FLAT METAL WIRE BRUSHES w/3/8" PT

Traditional heavy duty chimney brushes with flat metal wire bristles and 3/8" PT (pipe thread) male connector. Use with our 3/8 PT rods to "push/pull" and the aggressive bristles chip away at creosote each time the brush "reverses" within the flue. Use only on clay tile lined chimneys. ButtonLok, p.xx. Made in the USA.

ITEM NO.	SIZE	DESCRIPTION
HF6	6" Round	Heavy duty construction
HF8	8" Round	Heavy duty construction
HF66	6"x6" Square	Heavy duty construction
HF77	7"x7" Square	Heavy duty construction
HF88	8"x8" Square	Heavy duty construction
HF1212	12"x12" Sq.	Heavy duty construction
HF711	7"x11" Rect.	Heavy duty construction
HF812	8"x12" Rect.	Heavy duty construction
HF1216	12"x16" Rect.	Heavy duty construction

### A.W. PERKINS "POLYPRO" BRUSHES W/ 3/8" PT, PICTURED RIGHT

Heavy duty **round, square and rectangular** chimney brushes with round **.075" thick** polypropylene bristles with 3/8" PT (pipe thread) connector. 7" fill height, will not go around bends but rugged bristles are strong scrubbers on straight chimneys. ButtonLok versions are available. Made in the USA.

ITEM NO.	SIZE	DESCRIPTION
75P5	5" Round	HD polypropylene brush, black
75P55	5.5" Round	HD polypropylene brush, black
75P6	6" Round	HD polypropylene brush, black
75P7	7" Round	HD polypropylene brush, black
75P8	8" Round	HD polypropylene brush, black
75P9	9" Round	HD polypropylene brush, black
75P10	10" Round	HD polypropylene brush, black
75P12	12" Round	HD polypropylene brush, black
75P88	8"x8" Square	HD polypropylene brush, black
75P711	7"x11" Rect.	HD polypropylene brush, black
75P812	8"x12" Rect.	HD polypropylene brush, black



### A.W. PERKINS P50 SERIES "POLYPRO LITE" BRUSH w/3/8" PT CONNECTOR

Lightweight Polypropylene bristles, .050" nominally, make a great brush for sweeping lighter debris and they are flexible enough to fit through a damper when bottom up sweeping. Round and square shapes available, 6 to 7" fill height w/3/8NPT male end. ButtonLok versions are on page xx. US Made.

ITEM NO.	SIZE	DESCRIPTION
50P5	5" Round	PolyPro Lite brush w/3/8" PT Male end
50P6	6" Round	PolyPro Lite brush w/3/8" PT Male end
50P7	7" Round	PolyPro Lite brush w/3/8" PT Male end
50P8	8" Round	PolyPro Lite brush w/3/8" PT Male end
50P9	9" Round	PolyPro Lite brush w/3/8" PT Male end


### A.W. PERKINS P50 SERIES "POLYPRO LITE" "SQUASHED" SIZES w/3/8" PT

Same as above but custom shaped for common liner sizes that are made by ovalizing, squarizing or rectangularizing at the factory. Fit may vary by manufacturer. 0.50" poly bristles trim with scissors if needed to better fit. Sweeps sell these to homeowners who want to DIY sweep so it fits perfectly. For ButtonLok use #2238 adapter. Pictured below, right. Made in the USA.

ITEM NO.	SIZE	DESCRIPTION
<b>"Ovalized"</b>		
50PO6	6" Rd. now 4.5"	PolyPro Lite brush w/3/8" PT Male
50PO7	7" Rd. now 5.5"	PolyPro Lite brush w/3/8" PT Male
50PO8	8" Rd. now 6"	PolyPro Lite brush w/3/8" PT Male
<b>"Rectangularized"</b>		
50PR10	7" x 11.12"	PolyPro Lite brush w/3/8" PT Male
50PR75	5" x 9.06"	PolyPro Lite brush w/3/8" PT Male
50PR8	5.5" x 9.43"	PolyPro Lite brush w/3/8" PT Male
50PR9	6.5" x 10.06"	PolyPro Lite brush w/3/8" PT Male
<b>"Squarized"</b>		
50PS10	9" x 9"	PolyPro Lite brush w/3/8" PT Male
50PS11	9.75" x 9.75"	PolyPro Lite brush w/3/8" PT Male
50PS12	10.5" x 10.5"	PolyPro Lite brush w/3/8" PT Male



**A.W.PERKINS TRADITIONAL CHIMNEY SWEEP RODS AND TOOLS**



**Which Brush to choose for “push/pull” sweeping?**


**Lightweight Liners** - 32N12, 50N16 and 50N24 duct brushes below are very soft and appropriate for light liners. Or choose the blue “Woodstock” brushes (on next page).

**Heavier Liners** - Smooth wall or heavywall liners the 50P series is ideal if debris is loose and soft. The 75P series below is stiffer for flaky “Stage 2” type of creosote.

**Factory Built Fireplace Flue-** Use a 50P series on prior page or the Woodstock brushes (next page).

**Masonry Flues** - A 75P series or a wire brush is most appropriate. See prior pg.

USA MADE!



DUCT BRUSHES - VERY SOFT


32N12

50N16



**A.W. PERKINS ADAPTERS & DUCT BRUSHES**

ITEM NO.	SIZE	DESCRIPTION
14R	1/4" PT	1/4" pipe thread pull ring
38R	3/8" PT	3/8" pipe thread pull ring
14R38	1/4" PT to 3/8" PT	1/4" to 3/8" pipe thread adapter
2238	3/8" PT/ButtonL	Brush Adapter, 3/8"PT Female/Lg. ButtonLok Fem.
2239	3/8" PT/ButtonL	Rod End Adapter, 3/8"PT Male/Lg. ButtonLok Fem.
2240	3/8" PT/ButtonL	Rod End Adapter, 3/8"PT Fem./Lg. ButtonLok Male
32N12	12" Round (left)	Duct cleaning brushes with floppy .032" nylon bristles. 3/8" PT
50N16	16" Round (right)	Duct cleaning brushes with floppy .050" nylon bristles. 3/8" PT
50N24	24" Round	Duct cleaning brushes with floppy .050" nylon bristles. 3/8" PT (not pictured)



**A.W. PERKINS ROKLEEN STYLE TILE BREAKERS, RODS AND CHAIN WHIP**

Traditional tile breakers and 1/4" steel rods with the small round RoKleen style button. Our NEW Palmer Tool leaves both hands free to work while allowing easier button pressing. Our chain whip will work up to 12"x12" chimneys. Our breakers are made of tough steel plates 1/2" thick. All USA made.

ITEM NO.	SIZE	DESCRIPTION
OSR10	1'	Woodstock universal thread brush, plastic core
OSR25	2.5'	Woodstock universal thread brush, plastic core
OSR50	5'	Woodstock universal thread brush, plastic core
TB44	4"x4"	Standard Duty Steel Plate
TB46	4"x6"	Rectangular Standard Duty Steel Plate
TB44H	Dbl. 4x4	Heavy Duty Double Version with 8 points
41642	one sz.	Welding fitting to make your own tools
CW16	to 12x12	Chain Whip with quick link for easy change
PALM	one sz.	The Palmer button pressing aid, adjusts to fit



## A.W. PERKINS LEGACY CHIMNEY SWEEP RODS & TOOLS, UNIVERSAL "UJ" THREAD

Legacy English chimney sweep tools used for centuries. Brass fitted tools and rods. (Universal brass thread fittings). Lockfast is special order. All British made as always.

ITEM NO.	SIZE	DESCRIPTION
P343	3/4" x 3'	Black poly rod w/universal thread fittings
P785	7/8" x 5'	Black poly rod w/universal thread fittings
P786	7/8" x 6'	Black poly rod w/universal thread fittings
P343L	3/4" x 3'	Black poly rod w/Lockfast thread fittings
P785L	7/8" x 5'	Black poly rod w/Lockfast thread fittings

ITEM NO.	DESCRIPTION
P1720	Harpoon w/universal brass fittings
P1726B	Chisel, ButtonLok only, see PterodactTILE tool, page 26
P1730	Double worm screw nest remover w/univ. fitting
P1740	Boring tool w/universal brass fitting
P1745	Retrieving tool w/universal brass fitting
P1755	5" fixed scraper w/universal brass fitting
P1764	4" hinged scraper w/universal brass fitting
P1766	6" hinged scraper w/universal brass fitting



## A.W. PERKINS ADAPTERS

These adapters can be used to adapt the universal thread line of products with the 3/8" PT (pipe thread) and Lockfast systems. In addition our ButtonLok to universal (UJ) adapters are shown. Brass parts UK made, balance are from the USA.

ITEM NO.	DESCRIPTION
P1770	Female universal thread/female 3/8" NPT
P1770L	Female Lockfast/female 3/8" NPT (not pictured)
P1780	Male universal thread/female 3/8" NPT
P1795L	Male universal thread/female Lockfast (not pictured)
2210	Universal Male/ButtonLok F brush adapter
2211	Universal Female/ButtonLok M rod adapter
ADVA1	Universal Male/M10 Male Viper Adapter



## A.W. PERKINS LEGACY CHIMNEY SWEEP BRUSHES, UNIVERSAL "UJ" THREAD

Legacy English chimney sweep brushes used for centuries. They have the "UJ" Universal brass thread fittings. Great for push pull cleaning from the top or bottom. Fits past the damper frame for easy use from the bottom. Now with a plastic core instead of the traditional wood. All British made as always.

ITEM NO.	SIZE	DESCRIPTION
P36	6"	Woodstock universal thread brush, plastic core
P38	8"	Woodstock universal thread brush, plastic core
P312	12"	Woodstock universal thread brush, plastic core
P316	16"	Woodstock universal thread brush, plastic core



## A.W. PERKINS HAND BRUSHES

Rugged wire scrubbing brush for smoke chambers and fireboxes of masonry fireplaces. Use 1/4 to 3/8 adapter, prior page, if using with 3/8" PT Rods. The soft natural bristle wood handled brush is useful for clearing smoke shelves. The plastic handle version is stiffer. USA Made.

ITEM NO.	DESCRIPTION
226	Wood Handle Smoke Chamber Brush, 26" overall
227	U-Brush, 1/4" NPT
AWP805LH	Plastic Handle Smoke Shelf Brush, 20" overall
AWP728	Wood Handle Counter Duster Brush, very soft



**Introducing the TPOWR™ Rotary Chimney Sweeping System.**

Use with your cordless drill to clean wood burning fireplace and stove chimneys in record time!  
 Removes flaky creosote, fly ash and debris with special "shark tooth" cutting whip line material.

TWIN FLAT™ 3' long locking rods, whip brush and drill adapter made entirely in the U.S.A.

Exclusive, patented "anti-snag" rod end shapes essentially eliminate "hang ups" that affect simple chimney rods.  
 Two lengths of whip brush material included. Perfect for chimney interior dimensions of 5" round to 16" x 16".

**TPOWR™ Sweep Kit Components**

30' Kit Shown, #RK30, rods, drill pc,  
 12" and 24" strands included.  
 Stow bag incl. w/RK24 and RK30



**TWIN FLAT™ Locking Rods, #R1**

Exclusive Anti-Snag Design



**TWIN FLAT™**  
 Drill Adapter  
 #DA1


Drill Adapter, #DA1. **TWIN FLAT™** surfaces drive the **TPOWR™** Sweep Drill Adapter. 3/8" shank. No button is needed, saving effort when adding and taking off rods. All cleaning completed from the bottom, its much safer and easier!


Whip Brush/First Rod, #WR1. The whip brush is integrated in the first rod. The patented head has Anti-Snag action in both directions to prevent almost all hang ups while pushing up or coming back down the flue. Rugged aluminum end, the other end is a **TWIN FLAT™** female. No tool needed to change the included 12" and 24" strands to fit 5" to 16"x16" flues.



**Available Systems**

Item #	Description
RK15	15' Kit, instructions in a shipper
RK24	24' Kit, instructions in carry bag
RK30	30' Kit, instructions in carry bag
R1	3' Rod Extension, 7/16" dia.
WR1	Brush/First Rod, 3' long
DA1	TWIN FLAT Drill Adapter
41246-3	24" strands for whip brush, 3 pcs
41299-3	12" strands for whip brush, 3 pcs
RB1	Rod Bag, 33" long w/pocket, logo





## A.W.PERKINS TRADITIONAL RODS AND BRUSHES W/ LARGE BUTTONLOK



4

Along with the traditional pipe thread rods and tools, A.W. Perkins also offers a complete line of traditional sweep products featuring the quick connect ButtonLok™ fittings. This series of products features fiberglass rods along with traditional brushes. There are also adapters to convert your regular rods to ButtonLok. These adapters can be found in the power sweep section of this catalog. The fiberglass rods are not as flexible as the nylon power sweeping rods and therefore can't be spun on a drill. Also, these rods will shred if spun. Once you are set up with the ButtonLok system, it will take you less time and effort to complete the job. Just clip and unclip the rods as you go. Bristle types available are round wire, aggressive flat wire, nylon and two sizes of poly bristles.



**A.W.PERKINS TRADITIONAL RODS AND BRUSHES WITH LARGE BUTTONLOK**



**A.W.PERKINS FIBERGLASS RODS W/ LARGE BUTTONLOK CONNECTORS**

These traditional fiberglass rods have the large ButtonLok connectors for quick, easy use. Used for traditional push/pull chimney sweeping. Heavy duty, yellow are very stiff! Fiberglass rods should not be spun or used for power sweeping.


ITEM NO.	SIZE	DESCRIPTION
444B	48" x .440" dia.	HD fiberglass rods with large B/L
445B	60" x .440" dia.	HD fiberglass rods with large B/L
446B	72" x .440" dia.	HD fiberglass rods with large B/L
483B	32" x .480" dia.	HD fiberglass rods with large B/L
486B	72" x .480" dia.	HD fiberglass rods with large B/L



**A.W. PERKINS GALVANIZED FLAT WIRE BRUSHES w/BUTTONLOK**

Traditional heavy duty chimney brushes with flat metal wire bristles and ButtonLok female connector. Use with our fiberglass rods to "push/pull" and the aggressive bristles chip away at creosote each time the brush "reverses" within the flue. Use only on clay tile lined chimneys. USA Made.

ITEM NO.	SIZE	DESCRIPTION	ITEM NO.	SIZE	DESCRIPTION
HF6B	6" Round	Heavy duty construction	HF1212B	12"x12" Sq.	Heavy duty construction
HF8B	8" Round	Heavy duty construction	HF711B	7"x11" Rect.	Heavy duty construction
HF77B	7"x7" Square	Heavy duty construction	HF812B	8"x12" Rect.	Heavy duty construction
HF88B	8"x8" Square	Heavy duty construction	HF1216B	12"x16" Rect.	Heavy duty construction



**A.W.PERKINS HD CHIMNEY BRUSHES w/ LARGE BUTTONLOK CONNECTORS**

Heavy duty round, square and rectangular chimney brushes with round metal wire bristles and large ButtonLok quick connect adapters. The finest brushes made in the U.S.A. Spray with oil to prevent rusting of the specially tempered steel bristles.

ITEM NO.	SIZE	CONSTRUCTION
<b>ROUND SIZES</b>		
H5B	5" Rd.	Strong Double Stem/Double Spiral w/lg. ButtonLok
H6B	6" Rd.	Strong Double Stem/Double Spiral w/lg. ButtonLok
H7B	7" Rd.	Strong Double Stem/Double Spiral w/lg. ButtonLok
H8B	8" Rd.	Strong Double Stem/Double Spiral w/lg. ButtonLok
H9B	9" Rd.	Strong Double Stem/Double Spiral w/lg. ButtonLok
H10B	10" Rd.	Strong Double Stem/Double Spiral w/lg. ButtonLok
H11B	11" Rd.	Strong Double Stem/Double Spiral w/lg. ButtonLok
H12B	12" Rd.	Strong Double Stem/Double Spiral w/lg. ButtonLok
H14B	14" Rd.	Strong Double Stem/Double Spiral w/lg. ButtonLok

<b>SQUARE SIZES</b>		
H66B	6" Sq.	Strong Double Stem/Double Spiral w/lg. ButtonLok
H77B	7" Sq.	Strong Double Stem/Double Spiral w/lg. ButtonLok
H88B	8" Sq.	Strong Double Stem/Double Spiral w/lg. ButtonLok
H99B	9" Sq.	Strong Double Stem/Double Spiral w/lg. ButtonLok
H1010B	10" Sq.	Strong Double Stem/Double Spiral w/lg. ButtonLok
H1111B	11" Sq.	Strong Double Stem/Double Spiral w/lg. ButtonLok
H1212B	12" Sq.	Strong Double Stem/Double Spiral w/lg. ButtonLok
H1414B	14" Sq.	Strong Double Stem/Double Spiral w/lg. ButtonLok
H1616B	16" Sq.	Strong Double Stem/Double Spiral w/lg. ButtonLok

<b>RECTANGULAR SIZES</b>		
H610B	6"x10"	Strong Double Stem/Double Spiral w/lg. ButtonLok
H711B	7"x11"	Strong Double Stem/Double Spiral w/lg. ButtonLok
H812B	8"x12"	Strong Double Stem/Double Spiral w/lg. ButtonLok
H913B	9"x13"	Strong Double Stem/Double Spiral w/lg. ButtonLok
H1014B	10"x14"	Strong Double Stem/Double Spiral w/lg. ButtonLok
H1115B	11"x15"	Strong Double Stem/Double Spiral w/lg. ButtonLok
H1216B	12"x16"	Strong Double Stem/Double Spiral w/lg. ButtonLok



### A.W. PERKINS "HD" OVAL SHAPE WIRE BRUSHES w/BUTTONLOK FEMALE

Traditional heavy duty oval chimney brushes with round metal wire bristles and our ButtonLok connector. Poly bristle versions on p. xx and 3/8 PT versions on p. yy.

ITEM NO.	SIZE	CONSTRUCTION
HO4257B	4 1/4" X 7"	Double Stem/Double Spiral
HO42510B	4 1/4" x 10"	Double Stem/Double Spiral
HO45105B	4 1/2" x 10 1/2"	Double Stem/Double Spiral
HO425135B	4 1/4" x 13 1/2"	Double Stem/Double Spiral
HO462514B	4 5/8" x 14"	Double Stem/Double Spiral



### A.W. PERKINS POLY BRUSHES W/ LARGE BUTTONLOK FEMALE

Heavy duty **round, square and rectangular** chimney brushes with rounded **.075" thick** polypropylene bristles and large ButtonLok quick connect adapters. Quite aggressive on flaky soot and creosote found in Class A chimneys and flue tile. Not for lightweight s/s liner.



### A.W. PERKINS POLYPRO LITE BRUSHES W/LARGE BUTTONLOK FEMALE

Poly Pro Light series, **round and square** chimney brushes, with rounded **.050"** polypropylene bristles and large ButtonLok quick connect adapters. Thinner less aggressive bristles are easier to reverse. Not flexible enough for spinning however. Can be forced through most damper frames for bottom up cleaning.

ITEM NO.	SIZE	DESCRIPTION	ITEM NO.	SIZE	DESCRIPTION
50P5B	5" Round	"Poly Pro Lite" brushes with large B/L connector	50P9B	9" Round	Poly Pro Lite" brushes with large B/L connector
50P6B	6" Round	"Poly Pro Lite" brushes with large B/L connector	50P10B	10" Round	Poly Pro Lite" brushes with large B/L connector
50P7B	7" Round	"Poly Pro Lite" brushes with large B/L connector	50P12B	12" Round	Poly Pro Lite" brushes with large B/L connector
50P8B	8" Round	"Poly Pro Lite" brushes with large B/L connector	50P88B	8" x 8" Square	Poly Pro Lite" brushes with large B/L connector

ITEM NO.	SIZE	DESCRIPTION
75P5B	5" Round	HD polypropylene brushes w/large B/L Connector
75P6B	6" Round	HD polypropylene brushes w/large B/L Connector
75P7B	7" Round	HD polypropylene brushes w/large B/L Connector
75P8B	8" Round	HD polypropylene brushes w/large B/L Connector
75P9B	9" Round	HD polypropylene brushes w/large B/L Connector
75P10B	10" Round	HD polypropylene brushes w/large B/L Connector
75P88B	8"x8" Sq.	HD polypropylene brushes w/large B/L Connector
75P711B	7"x11" Rect.	HD polypropylene brushes w/large B/L Connector
75P812B	8"x12" Rect.	HD polypropylene brushes w/large B/L Connector



**Introducing the TPOWR™ Rotary Chimney Sweeping System.**

Use with your cordless drill to clean wood burning fireplace and stove chimneys in record time!  
 Removes flaky creosote, fly ash and debris with special "shark tooth" cutting whip line material.  
**TWIN FLAT™** 3' long locking rods, whip brush and drill adapter made entirely in the U.S.A.

Exclusive, patented "anti-snag" rod end shapes essentially eliminate "hang ups" that affect simple chimney rods.  
 Two lengths of whip brush material included. Perfect for chimney interior dimensions of 5" round to 16" x 16".

**TPOWR™ Sweep Kit Components**

30' Kit Shown, #RK30, rods, drill pc,  
 12" and 24" strands included.  
 Stow bag incl. w/RK24 and RK30



**TWIN FLAT™** Locking Rods, #R1  
 Exclusive Anti-Snag Design



**TWIN FLAT™**  
 Drill Adapter  
 #DA1


Drill Adapter, #DA1. **TWIN FLAT™** surfaces drive the **TPOWR™** Sweep Drill Adapter. 3/8" shank. No button is needed, saving effort when adding and taking off rods. All cleaning completed from the bottom, its much safer and easier!

Whip Brush/First Rod, #WR1. The whip brush is integrated in the first rod. The patented head has Anti-Snag action in both directions to prevent almost all hang ups while pushing up or coming back down the flue. Rugged aluminum end, the other end is a **TWIN FLAT™** female. No tool needed to change the included 12" and 24" strands to fit 5" to 16"x16" flues.



**Available Systems**

Item #	Description
RK15	15' Kit, instructions in a shipper
RK24	24' Kit, instructions in carry bag
RK30	30' Kit, instructions in carry bag
R1	3' Rod Extension, 7/16" dia.
WR1	Brush/First Rod, 3' long
DA1	TWIN FLAT Drill Adapter
41246-3	24" strands for whip brush, 3 pcs
41299-312"	strands for whip brush, 3 pcs
RB1	Rod Bag, 33" long w/pocket, logo





Now includes!



## A.W.PERKINS COMPANY SMALL BUTTONLOK DRYER VENT SYSTEM AND ACCESSORIES

5

Above is our "DVK" ButtonLok rotary dryer vent cleaning system. Rods that easily clip together and that can be spun in either direction using a drill adapter and our specially designed "Y" Adapter. This system will allow you to clean the dryer vent from inside the home no matter the weather outside. The "Y" adapter allows you to attach your vacuum directly to the dryer vent run to eliminate any lint or debris from escaping into the premises.

### WHY CLEAN DRYER VENTS?

- 1) Lint build-up creates an extreme fire hazard.
- 2) Blocked vents cause the dryer to work harder which shortens the life of the appliance.
- 3) Cleaning a blocked or restricted vent system reduces drying time which increases the efficiency of the dryer and saves money.

**\*NOTE:** May also be used, with addition of a 3" brush, as a pellet vent cleaning system.

800-698-7412

sales@awperkins.com

shop - [www.rodtechusa.com](http://www.rodtechusa.com) OR [vent-vision.com](http://vent-vision.com)

**A.W.PERKINS ROVAC BUTTONLOK DRYER VENT SYSTEM**



**Q: Why Choose ButtonLok's? A: Tech Advantage#1!**  
 Our ButtonLok rods feature an exclusive, patent pending, Snag Less angle on the fittings shown left. While pulling back while spinning in a vent one can become "snagged" on metal edges of elbows for example. The special shape causes our rods to "jump" over the obstruction reducing vent damage and time spent on the job. Fully compatible with older ButtonLok's. One of many advantages incorporated in our products over the years without fanfare. We appreciate your support and promise to continue to deliver improvements like these that cost effectively improve your productivity. USA Made!



**A.W. PERKINS SMALL BUTTONLOK DRYER VENT/PELLET VENT KITS**

This 36 foot professional grade rotary brush kit, (#5186 pictured), is designed for both residential and commercial use. It includes a std. drill adapter, EZ Driver adapter, and a 4" brush on a 10" flexible spring extension to facilitate with the bends in your dryer or pellet vent run. This kit can be used for both dryer or pellet vents. Closable caddy carrying case included. Small ButtonLok connectors. Other kits available listed below.

**ITEM NO. DESCRIPTION**


- 5186 35' Comm./Residential small B/L brush kit includes 6 ea. of 5/16" & 3/8" rods (3 foot rods), a 2 foot starter rod, EZ Driver and regular drill adapter, 4" brush on a 10" spring leader. All in a closable caddy carrying case. (39 ft total reach)
- 5186C 35' Commercial Kit. Same as #5186 but all 12 rods are 3/8" diameter.
- 5185 25' Kit same as #5186 but only 8 x 5/16" rods. (25 ft)
- 5184 12' Pellet vent kit with one each 3" and 4" brushes on 10" spring leaders, drill adapter and a closable caddy carrying case. (12 ft)

**A.W. PERKINS SMALL BUTTONLOK NYLON RODS**

A.W. Perkins white nylon rods 5/16" and 3/8". These rods can be bought individually to add length to the kits or as replacement rods as needed. You can also build your own kits in conjunction with components on the following pages.

**ITEM NO. SIZE/DESCRIPTION**

- 5162 5/16" X 2' White nylon small ButtonLok dryer vent/pellet vent rod. Short rod to hold spring leader brush in case.
- 5163 5/16" x 3' White nylon small ButtonLok dryer vent/pellet vent rod. Standard length, most ergonomic length.
- 5164 5/16" x 4' White nylon small ButtonLok dryer vent/pellet vent rod.
- 3802 3/8" 2' White nylon small ButtonLok dryer vent/pellet vent rod. Short rod to hold spring leader brush in case.
- 3803 3/8" x 3' White nylon small ButtonLok dryer vent/pellet vent rod. Standard length, most ergonomic length.
- 3804 3/8" x 4' White nylon small ButtonLok dryer vent/pellet vent rod.
- 3805 3/8" x 5' White nylon small ButtonLok dryer vent/pellet vent rod.
- 3806 3/8" x6' White nylon small ButtonLok dryer vent/pellet vent rod.



**Q: Why Choose ButtonLok's? A: Tech Advantage#2!**  
 Our ButtonLok rods feature an exclusive, patent pending, female connector chamfer on the fittings shown left. This chamfer angle depresses the male button for you making your work go faster. Fully compatible with older ButtonLok's. One of many advantages incorporated in our products over the years without fanfare. We appreciate your support and promise to continue to deliver improvements like these that cost effectively improve your productivity. And made by us in the USA!



### **A.W. PERKINS 10" SPRING LEADER FULL FILAMENT BRUSHES W/SMALL B/L**

Traditional twisted wire center brush with white ball tip to better navigate offsets and 90's. Poly filaments are evenly spaced around the brush, which has a short 1.5" high "body". More aggressive than the propeller brushes.

**ITEM NO. SIZE/DESCRIPTION**

- 5713 3" diameter brush w/10" spring leader and female Small ButtonLok connector.
- 5714 4" diameter brush w/10" spring leader and female ButtonLok connector (std brush in our 5185/5186 kits)
- 5715 5" diameter brush w/10" spring leader and female Small ButtonLok connector.

### **A.W. PERKINS 10" SPRING LEADER AND FULL FILAMENT BRUSHES**

Our multi-purpose spring leader gives flexibility to brushes or accessories to ease use through elbows and offsets. Traditional twisted wire center brush with white ball tip available in three sizes. Poly filaments are evenly spaced around the brush, which has a short 1.5" high "body". More aggressive than the propeller brushes. Less maneuverable than the 5713-5715 above.

**ITEM NO. SIZE/DESCRIPTION**

- 5169 10" Spring Leader w/ButtonLok male and female ends
- 5169V 10" Spring Leader w/rubber cover to stay clean
- 5703 3" diameter brush w/ball tip and kinked poly bristles.
- 5704 4" diameter brush w/ball tip and kinked poly bristles.
- 5705 5" diameter brush w/ball tip and kinked poly bristles.



### **A.W. PERKINS PROPELLER DRYER VENT BRUSHES W/SMALL B/L**

Nylon dryer/pellet vent brushes with small ButtonLok connectors. Less aggressive than "Full Filament" Brushes. Our assortment of propeller brushes (single) or mounted on a 10" spring leader protected by our new poly sleeve cover.

**ITEM NO. SIZE/DESCRIPTION**

**NO SPRING, Brush only. Often used with #5169 spring lead**

- 3403 3" diameter nylon propeller brush w/small ButtonLok
- 3404 4" diameter nylon propeller brush w/small ButtonLok
- 3405 5" diameter nylon propeller brush w/small ButtonLok
- 3406 6" diameter nylon propeller brush w/small ButtonLok

**SPRING LEADER 10" spring covered in poly sleeve**

- 3413V 3" dia. w/spring nylon propeller brush w/small ButtonLok
- 3414V 4" dia. w/spring nylon propeller brush w/small ButtonLok
- 3415V 5" dia. w/spring nylon propeller brush w/small ButtonLok
- 3416V 6" dia. w/spring nylon propeller brush w/small ButtonLok



**A.W.PERKINS ROVAC BUTTONLOK DRYER VENT CLEANING SYSTEM**



8521



**NEW!**

8521V

2711



**"Y" ADAPTER WITH METAL BASE AND DAMPER CLAMPS**

This "Y" adapter is part of the dryer vent cleaning system. To use clip open damper flap or remove louvers from vent hood outside. Connect the lower two connections, one to the dryer vent w/hose clamp to secure and the other (3" reduced) to your Rovac vacuum's gray hose. Turn on vac, you are able to introduce your brush right through the slits of the upper connection. The new Vac Vision model lets you see the lint passing through so you know the job is done! Damper Clips needed to hold flap open as you vacuum.


ITEM NO.	DESCRIPTION
8521	Dryer vent "Y" adapter with metal base
8521V	Vac Vision "Y" adapter w/clear section
2711	Stainless Damper Clips hold flap open



**A.W. PERKINS STAINLESS STEEL VENT BRUSHES W/SMALL B/L**

These stainless steel small ButtonLok Dryer Vent/Pellet Vent brushes have a twisted wire stem and are used for more aggressive cleaning. Ultra-fine bristles, ideal for pellet vent dust removal. **Note:** For dryer vent cleaning these brushes should only be used on rigid metal vents.

ITEM NO.	SIZE/DESCRIPTION
3403SS	3" stainless steel brush with female B/L end
3404SS	4" stainless steel brush with female B/L end




Patented

No tool needed to change strands

**A.W. PERKINS EASY CHANGE LINT WHIP CLOG BUSTER w/.120" X 12" STRANDS**

New style Missile Whip with 3 strands fits through the smallest openings down to 7/8". Use as a first pass on extremely dirty vents or as a clog buster. The thin tip bores into lint plugs and gets air flowing when using the vacuum or blower technique. .120" diameter strands are quite flexible but aggressive enough to scrub hard pipe down to the metal. Strands are held in place by the special shape of the holes in our patented head design. 2 free refills included. The steel version (2730V) is more rugged but heavier than the aluminum (2730VA) which "centers up" in vent easier. Available 16" long strands will work in vents up to 12" diameter. Change strands often to maintain cutting edges needed for harder, "baked on" lint and other harder debris types.

ITEM NO.	DESCRIPTION
2730V	12" Easy Change Lint Whip, Steel, .120" strand dia.
2730VA	12" Easy Change as above in aluminum
2731V	16" Easy Change Lint Whip, steel, .120" strand dia.
41401	12" x .120" Neon Green Strands, each
41400	16" x .120" Neon Green Strands, each



4" fill height #4710

**A.W. PERKINS FULL FILAMENT DUCT BRUSHES W/SMALL B/L**

Full filament small ButtonLok vent brushes with female connection for cleaning ducts or commercial dryer vents. Two "fill heights" available, see description and pic above.

ITEM NO.	SIZE/DESCRIPTION
<b>3" Fill height 48xx - less aggressive, easily navigates turns</b>	
4806	6" diameter light poly brush w/.030" kinked poly fill.
4808	8" diameter light poly brush w/.030" kinked poly fill.
4812	12" diameter light poly brush w/.030" kinked poly fill.
4818	18" diameter light poly brush w/.030" kinked poly fill.
<b>4" Fill height 47xx - more aggressive, less maneuverable</b>	
4710	10" diameter medium poly brush w/.030" kinked poly fill.
4714	14" diameter medium poly brush w/.030" kinked poly fill.





Exclusive: No tool strand changeover

**NEW!** 18" long superflex version

## A.W. PERKINS SNAG LESS WHIP HEAD/ROD IN THREE ROD DIAMETERS

This new whip and first rod combination is great for first passes on extremely dirty vents. The smallest 1/4" diameter rod is good for 3" pellet vents (2503WH or 2515WH). The shorter 1/4" (2515WH) or 5/16" versions (51615WH or 5163WH) are appropriate for 4" dryer vents. The short 5/16" x 18" version is quite stiff around 90's, use 3/8" rods behind it. Use 5/16" rods otherwise as second rod. The large 7/16" rod listed is for chimneys or ducts 6"+.

ITEM NO.	DESCRIPTION
2515WH	1/4" dia. x 18" long Snag Less whip head/first rod
2503WH	1/4" dia. x 36" long Snag Less whip head/first rod
51615WH	5/16" dia. x 18" long Snag Less whip head/first rod
5163WH	5/16" x 36" long Snag Less whip head/first rod
7163WH	7/16" x 36" long Snag Less chimney/duct whip/rod



## EZ DRIVER w/SMALL B/L

Speeds up your work 25 to 30% by making the drill end go into and back out of the first rod without touching the button. See video for 2715EZ at [www.rodtechusa.com](http://www.rodtechusa.com).

ITEM NO.	DESCRIPTION
2715EZ	Small ButtonLok drill adapter EZ Driver




## A.W. PERKINS 1" ACCESS PLUGS AND 1" ACCESS GROMMETS

1" Access Plugs and 1" Access Grommets should be on hand whenever you encounter roof terminations. Drill a 1" hole in the cap and install the access grommet when inserting rods or air lines into vent to limit damage to your tools. Use Plug when complete to allow easy access for the next cleaning. Black and silver plugs available.

ITEM NO.	DESCRIPTION
AP	1" diameter black plug, 100/bag
APS	1" diameter silver plug, 100/bag
AG	1" diameter black grommet

## A.W. PERKINS DRYER/PELLET VENT TOOLS W/SMALL BUTTONLOK



Rod not included

**ITEM NO.: 2713 AND 2713V RETRIEVAL COILS**  
Tool retriever. Retrieve brushes/tools stuck in vent run. Original on left is left hand winding and softer/more maleable. On the right is our new Vent Vision version. Its wound right handed and is for heavier use.




**ITEM NO.: 2715 DRILL ADAPTER**  
Drill adapter for spinning small ButtonLok rod system. See also the new EZ Driver option (shown left).



**ITEM NO.: 2716 NEST CLAW**  
Heavy stainless steel "claw" nest remover w/"C" cutter.



**ITEM NO.: 2718 NOISE MAKER**  
Noise maker is used to detect breaches in the vent run. Makes noise until it reaches a break so the tech can accurately locate the disconnection.



**ITEM NOS.: 2730 AND 2730W MISSILE WHIPS**  
Missile whip (left) with 12" x .155" dia. nylon cord can be used instead of regular brushes. Aggressive for harder debris (refill #41246). Multi-strand missile whip with triple fill of .095" line. Great for dryer vents and less aggressive than #2730. Strands are 10" long (refill #42421).



**ITEM NO.: 2716 GUIDE BALL**  
Use in place of a brush in very dirty vents to navigate to outside where a brush can be placed on and pulled back.

**A.W. PERKINS LINT TRAP AND RELATED BRUSHES AND ACCESSORIES**



**ITEM NO.: 2700**  
Long handle lint brush, 2 1/2" dia. x 27" w/wood handle. For top mount lint traps and general cleaning.



**ITEM NO.: 2704**  
Nylon bristle tapered lint brush w/plastic handle. 30" overall length



**ITEM NOS.: 2701 (left) 2703 (right)**  
Noodle brush, 17" overall length, 2 1/2" dia.  
Noodle brush, 27" overall length, 2 1/2" dia.



**ITEM NO.: 2705**  
2 1/2" diameter noodle brush w/wire loop handle. 27" overall length.



**ITEM NO.: 2702**  
Short handled tapered lint brush w/plastic handle



**ITEM #: 2741**  
Adjustable lint brush set w/small ButtonLok fittings. Consists of a 16" long rod and 2 brushes. One w/ tapered filaments and one w/ straight filaments.



**ITEM NO'S.: FD1 and VH1**  
Flex Driver Clamp Tool, works w/Malco flip bit if you lose the provided 1/4 and 5/16 magnetic bit.  
Vac Accessory, 3/4" hose adapts to vacuum to reach inside dryer to safely and gently clean out cabinet and under the machine. With 2 adapters to fit most vacuum brands. Also great for pellet stove cleanout.



**ITEM #: 2707**  
4" diameter x 6" tall soft bristle brush. For hand working straight sections of 4" vents. Twisted wire stem is quite rigid. 42" overall length.



0-2" range  
others avail. call

**ANEMOMETER AND MAGNEHELIC GAUGE DIAGNOSTIC TOOLS**

The anemometer measures air speed at the back of the dryer and outside. Back of dryer reading is the theoretical max that dryer will produce in a 4" pipe. The outside reading before and after cleaning should be noted. A "zero" flow outside indicates blockage or disconnected vent. The Magnehelic measures back pressure in the "zero" vent which, if high, indicates a blockage. A low reading "zero" vent is a separated pipe.

ITEM NO.	RANGE	DESCRIPTION
5501	0-2"	Magnehelic in hard carry case
5505		Anemometer w/flex cable & carry case

# NEW! VENT VISION DRYER VENT INSPECTION SYSTEM

ITEM NO.: VV1 AND VV1D

This new to market wireless camera system allows the dryer vent professional to internally inspect venting to find screws, crushed vents, disconnections, lost brushes, etc. Perform inspections for real estate agents, insurance companies or to simply learn what is happening with a problem vent. The focus is sharp and does not "pulse" like lesser cameras.

Color camera is mounted on a flexible spring to easily navigate elbows and offsets. The patent pending shape and six white light LED's provide the perfect orientation and level of light for ideal recording. 7" color monitor is supplied with a 16 GB microSD card that records hours and hours of video or still pictures. Camera and monitor are battery powered and provide about 45 to 60 minutes of recording time. Twin antennas provide diversity reception for vents up to 50'.

Optional wristwatch 2" monitor provides crisp video allowing safe inspections while on a ladder or roof. Watch takes up to a 32 GB microSD card for separate recording. Two person crews may each monitor the camera at the same time.

We build the cameras in our plant from materials sourced worldwide. Therefore we can repair the camera where other companies would make you buy another one. Select connector to fit the rods you have, ProSpin, Nikro or Button-Lok. Vent Vision logo case (incl. w/VV1 or VV1D) safely holds and protects the system. VV1S comes with small waterproof hard case.

Item	Description
VV1	Camera, Monitor and Case
VV1S	Camera, watch in sm. waterproof case
VV1D	Deluxe - VV1 items plus Watch
VV1W	Watch alone
VV1C	Camera alone
VV1DC	Moulded logo case for VV1



Case included w/VV1 and VV1D



**Unretouched pictures from customers. One re-vent job pays for the camera!**



**A.W.PERKINS ROVAC® BUTTONLOK DRYER VENT SYSTEM**

**NEW! VENT VISION GREEN RODS W/BUTTONLOKS**

GO GREEN! All new green co-polymer material is very flexible, heat and cold resistant and the latest innovation from A.W. Perkins Co. Separate yourself from the competition! USA made

The rods incorporate our new exclusive features described earlier, namely the Snag Less male end that greatly reduces hangups coming out of the vent. These rods also have the new chamfered female ends that depress the button for you when connecting rods. Combine with our EZ Driver Drill Adapter for maximum productivity. Two rod sizes to match vent needs.

Residential 5/16" rods are very flexible and useful as first rods when vents have many elbows. Also work well on shorter vent runs, say under 15'. Preferred also in colder climates.

Commercial 3/8" rods are stiffer and better for longer vents and hotter climates. Golden ends help you identify them in the bag from 5/16" rods which are silver. Also good size for 6" vent.

**Individual Rods**

ITEM NO.	SIZE	DESCRIPTION
5162G	5/16" x 2'	Green co-polymer rod w/ButtonLok silver
5163G	5/16" x 3'	Green co-polymer rod w/ButtonLok silver
3802G	3/8" x 2'	Green co-polymer rod w/ButtonLok gold
3803G	3/8" x 3'	Green co-polymer rod w/ButtonLok gold


**Kits and new imported Vent Vision Caddys**

ITEM NO.	DESCRIPTION
5185V	8 5/16x3' rods, 3414V brush, 2715 drill adapter and new nylon Vent Vision bag (not pictured)
5186V	Deluxe 7 ea 5/16" and 6 3/8" rods, 2715 & 2715EZ drill adapters, 3404 brush, PS4 brush, PS1 spring lead and 2' 5/16" white rod, 2730VA clog buster whip plus 2713 retrieval tool in new nylon VV bag.
7703	New Nylon Vent Vision Carry Bag, two pockets, interior divider, double bottom, two carry straps.
7713	New Stand Up Caddy, two pockets, interior divider and stands up/folds up instantly. Rigid liner.

**NEW! GENUINE PRO-SPIN LEADER AND BRUSHES W/BUTTONLOKS**


Pro-Spin brushes have a 20 year history of unsurpassed performance in dryer vent cleaning. We have offered for many years a Pro-Spin Adapter which would convert a Pro-Spin Brush to fit ButtonLok Rods. Now A.W. Perkins and Pro-Spin have come together to offer the real Pro-Spin brush with a built in ButtonLok making the brush more maneuverable than with the extra height an adapter requires. Brush is the best on the market for getting dryer vents perfectly clean and they last a long time. Its oversized by 1/2" to really work well on 4", 6" and 8" vents. Larger sizes for chimneys @ 10", 12" up to 24" available.

ITEM NO.	SIZE	DESCRIPTION
PS1	12" long	Spring Lead w/ButtonLok ends, 12" long
PS4	4" Dia.	Genuine Pro-Spin brush w/ButtonLok
PS6	6" Dia.	Genuine Pro-Spin brush w/ButtonLok
PS8	8" Dia.	Genuine Pro-Spin brush w/ButtonLok
PS10	10" Dia.	Genuine Pro-Spin brush w/ButtonLok
PS12	12" Dia.	Genuine Pro-Spin brush w/ButtonLok
PS18	18" Dia.	Genuine Pro-Spin brush w/ButtonLok
PS24	24" Dia.	Genuine Pro-Spin brush w/ButtonLok



Effective sweep action!

**Patented Anti-Snag feature**



# NEW! ANIMAL EXCLUSION & DRYER VENT ADD ON ITEMS

Our partnership with Vent Vision brings about many new innovations for Dryer Vent Cleaning professionals. Below described are our animal exclusion line featuring metal and plastic vent covers with integrated animal guards, patented and made in the USA. In addition we offer transition duct that is UL listed in two different constructions. We bring you more items to create valuable add-on revenue for your in-home sale efforts. More products coming soon!



## Famous "4 TO 1" Louvered Replacement

We all see louvered vents that are warped, propped open, or with missing louvers. Why replace it with a cheap copy that will fail again in a few years? Our new aluminum, powder coated vent termination in white or tan solves the problem beautifully! In a typical vinyl siding installation just remove the four louvers and mount with the included screws. Other louvered terminations on a mounting block remove and mount 4 to 1 as shown above. Larger mounting block? Consider 422 below. Aluminum animal guard is powder coated and resists squirrels and bird intrusion. Included magnets may be stuck on to reduce flapping in windy areas. Bushing mounted damper axle provides a finished look and long life. For custom colors (with minimum run size) call us. USA Made.

ITEM NO.	SIZE	COLOR	DESCRIPTION
421	4" vent	White	Fixes 3 or 4 louver plastic vent terminations
421A	4" vent	Almond	
421G	4" vent	Gray	



## NEW! Universal Cover

### Open Concept Allows For:

- Covers multiple size venting (1" to 6")
- Totally open back plate to accommodate any size vent and provide flexible mounting
- Flexible mounting allows choice of cover position
- Remove damper for intake vent use
- Use with or without included animal guard.
- All aluminum frame and damper prevents rust, salt damage and heat warping while opening easily.
- Powder coated in multiple colors.
- Bushing mounted damper axle provides a finished look and durability.

## Universal Open Concept Exhaust Vent Cover

Did you ever wish for a vent cover that could move side to side or up and down to avoid a nearby object on the exterior of the house, say a downspout or a bathroom vent opening? Our totally new Universal Exhaust Vent Cover may be the ticket in many instances. It is a scaled up version of the Famous 4 to 1 louvered vent above. The totally open back plate allows use with vents from 1" to 6". The same aluminum frame and door construction with a zinc plated steel removeable animal guard and stick on mini-magnets are included. Damper is removeable to allow use as an intake vent with animal guard protection. Powder coated in four colors, custom colors are available with a minimum order, call us. Made in the USA.

ITEM NO.	SIZE	COLOR	DESCRIPTION
422	up to 6"	White	Larger version covers 1" to 6" vents
422A	up to 6"	Almond	
422B	up to 6"	Brick Red	
422G	up to 6"	Gray	



## NEW! Vent Vision PH4 Hood

### Higher Quality w/incl. animal guard:

- Thicker plastic than "big box" brands
- Integrated, removeable pest guard plastic formula is specially compounded to resist animal intrusion.
- Attaches with 4 screws
- Available w/11" tail piece or flush mount.

## Plastic Hood w/Animal Guard

Have you seen the best all plastic hood with included animal guard yet? We think we have it in this new design. Available without animal guard, call us, for applications using a separate external bird guard. Made in the USA.

ITEM NO.	SIZE	COLOR	DESCRIPTION	ITEM NO.	SIZE	COLOR	DESCRIPTION
PH4	Flush	White	Flush Mount Plastic Hood	PH411	w/Tail	White	Hood w/neck to accept tail pc.
PH4B	Flush	Brown	Flush Mount Plastic Hood	PH411B	w/Tail	Brown	Hood w/neck to accept tail pc.
PH4G	Guard	White	Replacement guard ONLY	PH4GB	Guard	Brown	Replacement guard ONLY

## NEW! V FLEX DRYER TRANSITION DUCT

### Dryer Vent Transition Duct

UL 2158A Listed Dryer Transition Duct should be in your truck at all times! Transition duct connects your dryer to the hard duct termination in the laundry room. Our flexible aluminum wind is stronger to resist crush yet more flexible for tighter 90 degree turns. Try some today, available singly or in case packs.

ITEM NO.	SIZE	DESCRIPTION
TD5	4" x 5'	Shorter transition duct, UL listed (case count is 18)
TD8	4" x 8'	Max length transition duct, UL listed (case count is 18)
TD50	4" x 50'	Bulk transition duct, cut to length under 8'



## NEW! HIGHEST QUALITY P100 RESPIRATORS

### Respirators with or without goggles for complete dust protection for dryer vent professionals!

Personal protection of the highest quality, made in the United Kingdom. Extremely light weight design with low profile pleated filter. Excellent visibility and easy breather exhaust valve. Goggle version has separated nose/mouth breathing section plus vent holes to limit fogging of lens interior. Lens protectors available as is a hard protective case. Wide face seal of special rubber that seals well without irritation. P100 filter provides HEPA filtration of 99.9% down to 0.3 micron particle size. Two sizes to fit almost everyone. Call for fit advice. The prescription insert is factory fulfilled, send us your Rx and lab ships you completed insert.

ITEM NO.	SIZE	DESCRIPTION
SPR451	Sm/Med	P100 Mask Respirator, nose/mouth only, weighs under 5 oz.
SPR457	Med/Lg	P100 Mask Respirator, nose/mouth only, weighs under 5 oz.
SPR549	Sm/Med	P100 Mask Respirator, w/eye protecting goggles
SPR550	Med/Lg	P100 Mask Respirator, w/eye protecting goggles
SPR321	One Size	P100 Filter Replacement, pair
SPM001	Small	Case for mouth/nose only versions SPR451/457
SPM007	Large	Case for goggle versions SPR549/550
SPM520	One Size	Lens Protector Sheets for SPR549/550 (10 each)
SPM639	One Size	Eyeglass Rx Inserts, fits both SPR549 and SPR550

P100 Filter



Lens Protector



Case



Prescription insert



We also have P100/  
Organic Vapor filtering  
masks in catalog #2

## A.W.PERKINS ROVAC BUTTONLOK DRYER VENT SYSTEM

# NEW! MAGVENT® DRYER VENT TRANSITION SOLUTION

### MagVent

MagVent, with its powerful self-aligning magnets, helps you remotely complete the dryer vent path so you no longer have to get between the dryer and the wall. This allows you to do away with that extra length of dryer vent hose which often gets crushed and restricted between the dryer and the wall. The included foil flex on the MV90 and MV180 are hose clamped to the dryer and the magnetized ends mate up flush with a resounding snap!

ITEM NO.	SIZE	DESCRIPTION
MV90	90 DEG	90 Built-in
MV180	Straight	Connect straight on
MVFLEX	Your Flex	Like MV180 but use your own flex



MV90



MV180

# NEW! PITCH HOPPER® ROOF ACCESS SAFETY DEVICE

### Pitch Hopper

For asphalt shingle roofs the Pitch Hopper is a great way to safely access and work on pitched surfaces. Triangular cross section there is one side that is perfect for 8/12 pitch and the shorter side for 12/12 pitch. Relieves stress and fatigue in the legs. Two sizes available, 24" and 32" wide. Get one of each and use one to stand on and the other to hold your tools!

ITEM NO.	SIZE	DESCRIPTION
PH24	24" wide	Yellow Small Pitch Hopper
PH32	32" wide	Yellow Large Pitch Hopper

PH24



Blank page for now





## **A.W. PERKINS DIY CONSUMER PELLET/DRYER VENT CLEANING SYSTEM**

---

A.W. Perkins offers a selection of rods and brushes geared towards the “DIY” homeowner. This is a selection of rods and brushes with 5/16” or 1/4” threaded fittings. This system is ideal for cleaning out your pellet vent chimney. It can also be used for dryer vent cleaning. Please take note that the 1/4” threaded rods are too flexible to use on dryer vents.



6

## A.W. PERKINS CONSUMER PELLET VENT CLEANING SYSTEM



### A.W. PERKINS PELLET/DRYER VENT CONSUMER GRADE BRUSHES

These pellet/dryer propeller vent brushes have a rounded plastic core, nylon bristles and can be used with a drill for an easy and consistent cleaning. 5/16"-18 threads. Available in 3" to 6" sizes. Can be used with the ES02- or 516-series of nylon rods. **Ideal for the DIY homeowner.**

These pellet/dryer vent brushes have a twisted wire center with ball tip. Spin or push/pull. The ES-series brushes can only be used with a drill when using the ESDA drill adapter. \*Spin clockwise only. Available in 3", 4" and 5". Can be used with the ES0- or 516-series of nylon rods. **Ideal for the DIY homeowner.**

**NOTE: Spin clockwise only.**

ITEM NO.	DESCRIPTION
1603	3" diameter w/5/16-18 thread
1604	4" diameter w/5/16-18 thread
1605	5" diameter w/5/16-18 thread
1606	6" diameter w/5/16-18 thread

ITEM NO.	DESCRIPTION
*ES03	3" x 5/16-18 thread
*ES04	4" x 5/16-18 thread
*ES05	5" x 5/16-18 thread
*ESDA	Drill adapter w/female 5/16-18 thread

### A.W. PERKINS PELLET/DRYER VENT CONSUMER GRADE RODS

5/16" thick pellet vent rods that fit the ES0x Series and 160x-series brushes, above. ES0-rods are 4 feet long. 516-series rods are 3 feet long. \*Spin clockwise only. Ideal for the DIY homeowner. 51612 is a 12 ft. starter kit of rods consisting of 4 x 3 ft. (516) rods. This kit does not contain any brushes. Choose your needed brush size from the choices above.

ITEM NO.	DESCRIPTION
516	3 ft. x 5/16 dia. w/5/16-18 thread
51612	12 foot starter kit, 4 ea 3' rods
ES02	4 ft. x 5/16 dia. w/5/16-18 thread
ESDA	Drill adapter w/female 5/16-18 thread



\* Note if spinning with a drill: The **ES0-series** of rods/brushes must use the ESDA adapter to rotate. Choose the 160x brushes w/female thread to avoid need for drill adapter, just chuck up the rod end in your cordless drill.

## A.W. PERKINS CONSUMER PELLET VENT CLEANING SYSTEM



### A.W. PERKINS NYLON CONSUMER GRADE PELLET VENT BRUSHES

These very gentle nylon pellet vent brushes have a twisted wire center with a ball tip. Used on 1/4" thick rods that are lighter than the ESO2 and 516-series. For dryer vent brush please see items #ES04 and rod #516. Available in 3", 4" & 5" sizes. **Ideal for the DIY homeowner.**

ITEM NO.	DESCRIPTION
PV3	3" w/1/4-20 thread, use w/PVR rods
PV4	4" w/1/4-20 thread, use w/PVR rods
PV5	5" w/1/4-20 thread, use w/PVR rods



### A.W. PERKINS S/S CONSUMER GRADE PELLET VENT BRUSHES

These stainless steel pellet vent brushes, (used when a more thorough cleaning is warranted), have a twisted wire center with a ball tip and are used on 1/4" thick rods that are lighter than the ESO-and 516-series. For the dryer vent equivalent please see #ES04, prior page.

Available in 3" & 4" sizes. **Ideal for the DIY homeowner.**

ITEM NO.	DESCRIPTION
PV3SS	3" w/1/4-20 thread, use w/PVR rods
PV4SS	4" w/1/4-20 thread, use w/PVR rods

### A.W. PERKINS 1/4" THICK NYLON CONSUMER GRADE RODS

Nylon rods for the PV series of brushes only with 1/4-20 thread. Very flexible for pushing lightweight brushes above. These rods are for pellet vent cleaning only. For the stiffer dryer vent equivalent please see items # ES04 and #516. **Ideal for DIY homeowner pellet vent cleaning.**

ITEM NO.	DESCRIPTION
PVR4	4' X 1/4" diameter w/1/4-20 thread
PVR5	59" X 1/4" diameter w/1/4-20 thread

NOTE: The PV series of lighter 1/4" nylon rods and brushes are not recommended for dryer vent cleaning as the rods are too flexible. They will work in bathroom vents if used carefully.





# A.W.PERKINS ROVAC® HEPA VACUUMS



Our RoVac vacuums are amongst the most powerful and cleanest vacuums on the market. They are available in either a 1 motor, 2 motor or 3 motor format. The powerful 3 Motor (405 CFM), RoVac HEPA chimney & dryer vent vacuum is used for dust control while cleaning chimneys or dryer vents and may also be used for debris removal after any job. The first two motors can be run on the same circuit. The 3rd motor requires a separate extension cord plugged into the flanged inlet on the powerhead. The 1 motor (120 CFM), RoVac HEPA chimney & dryer vent vacuum is the little brother to the more powerful 3 motor vacuum. All vacuums feature a triple filtration system consisting of a dacron bag pre-filter, a secondary dacron filter and finally the HEPA filter. This system filters to 99.97% efficiency, down to particles of .3 microns in size. The 1 motor vacuum will handle most smaller jobs, but the 3 motor vacuum can tackle all of your needs when it comes to those larger masonry chimneys and longer dryer vent runs.

800-698-7412

[sales@awperkins.com](mailto:sales@awperkins.com)

shop - [www.rodtechusa.com](http://www.rodtechusa.com) OR [vent-vision.com](http://vent-vision.com)



**A.W.PERKINS "ROVAC" S/S 3 MOTOR VACUUM ON TILT TROLLEY**

This powerful 3 Motor, 405 CFM, RoVac HEPA chimney & dryer vent vacuum is used for dust control while cleaning chimneys or dryer vents and can also be used for debris removal after any job. The first two motors can be run on the provided 35' cord. The 3rd motor requires a separate circuit with an extension cord (not included). HEPA filters 99.97% efficient down to .3 microns. This vacuum features a 20 Gallon removable stainless steel drum on a tilt trolley. It comes standard with a 4 in. x 10 ft. hose, a 3 in. x 12.5 ft. gray hose, a 1.5 in. x 8 ft. hose, two extension wands, crevice tool, tool adapter, one round and one oval brush, one HEPA filter, and two micro bag filters. Everything you need to clean any chimney, fireplace, or dryer vent. Motors are under warranty for a full year.

ITEM NO.	DESCRIPTION
1107-3	Rovac 3 motor stainless steel vacuum on tilt trolley w/spare microbag filter
8507-3	Same as 1107-3, but with no 4" hose and only one microbag filter

**We customize!** Tilt to dump feature on an 1107 tank w/special 8" rear wheels, 3" casters. Lowers height 2". Call us at 800-698-7412 w/your special requests!



**A.W. PERKINS "ROVAC" 3 MOTOR VACUUM w/FIXED DRUM**

This powerful 3 Motor, 405 CFM, RoVac HEPA chimney & dryer vent vacuum is used for dust control while cleaning chimneys or dryer vents and can also be used for debris removal after any job. The first two motors can be run on the same circuit. The 3rd motor requires a separate circuit. Filters 99.97% efficient down to .3 microns. This vacuum features a 15 gallon rugged high impact plastic drum on a fixed trolley. It comes standard with a 4 in. x 10 ft. hose, a 3 in. x 12.5 ft. hose, a 1.5 in. x 8 ft. hose, two extension rods, crevice tool, tool adapter, one round and one oval brush, one HEPA filter, and two micro bag filters. Everything you need to clean any chimney, fireplace, or dryer vent. The lifetime warranted 12-inch rear wheels make the RoVac easy to maneuver, and the motors are under warranty for a full year, 90 days on the balance. May be made as a two motor machine, see below.

ITEM NO.	DESCRIPTION
1105-3	Rovac 3 motor vacuum (base model) on fixed trolley w/spare microbag filter
8505-3	Same as 1105-3, but with no 4" hose and only one microbag filter

This model is available as a 2 Motor, 280 CFM, RoVac HEPA chimney & dryer vent vacuum. Same tank as the 1105-3 model above. It comes standard with a 3 in. x 12.5 ft. hose, a 1.5 in. x 8 ft. hose, two extension rods, crevice tool, tool adapter, one round and one oval brush, one HEPA filter, and two micro bag filters. Everything you need to clean any chimney, fireplace, or dryer vent. The 12-inch wheels on the back make the RoVac easy to maneuver, and the motors are under warranty for a full year.

ITEM NO.	DESCRIPTION
1105-2	Rovac 2 motor vacuum (base model) on fixed trolley w/spare microbag filter
8505-2	Same as 1105-3, but with no 4" hose and only one microbag filter



**A.W. PERKINS ROVAC® 3 MOTOR VAC w/TILT DRUM/REMOVEABLE TROLLEY**

This powerful 3 Motor, 405 CFM, RoVac HEPA chimney & dryer vent vacuum is used for dust control while cleaning chimneys or dryer vents and can also be used for debris removal after any job. The first two motors can be run on the same circuit. The 3rd motor requires a separate circuit. Filters 99.97% efficient down to .3 microns. This vacuum features a 20 gallon rugged high impact plastic drum on a tilt to dump trolley. The tank may also be removed from the trolley to carry it into homes, up stairs, etc. Model 1103-3 comes standard with a 4 in. x 10 ft. hose, a 3 in. x 12.5 ft. hose, a 1.5 in. x 8 ft. hose, two 18" ext., crevice tool, tool adapter, one round and one oval brush, one HEPA filter, and two micro bag filters. Everything you need to clean any chimney, fireplace, or dryer vent. The model 8503-3 omits the large hose and spare microbag filter. The lifetime warranted 12-inch wheels on the back make the RoVac easy to maneuver, and the motors have a 1 year warranty, 90 days on the balance of unit.

ITEM NO.	DESCRIPTION
1103-3	Rovac 3 motor vacuum on tilt trolley w/spare microbag filter.
8503-3	Our Standard 3 Motor Dryer Vent Vacuum. Same as 1103-3, but with no 4" hose and only one microbag filter.

**Large Rovac Vacuum Model Specifications**

ITEM NO.	DESCRIPTION	MOTORS	WT.	WT.(no trolley)	HEIGHT	WIDTH	CFM	W.C.	SUCTION
8503-2	2 Motor Tilt Trolley DV Cleaning Rovac, 20 gal.	2	56 lbs.	41 lbs	45"	22.5"	280	70"	
8503-3	3 Motor Tilt Trolley DV Cleaning Rovac, 20 gal.	3	62 lbs.	47 lbs	45"	22.5"	405	70"	
8505-2	2 Motor Fixed Trolley DV Cleaning Rovac, 15 gal.	2	48 lbs.	--	35.5"	22.5"	280	70"	
8505-3	3 Motor Fixed Trolley DV Cleaning Rovac, 15 gal.	3	53 lbs.	--	35.5"	22.5"	405	70"	
8507-2	2 Motor Tilt Trolley DV Cleaning Rovac, 20 gal. S/S	2	57 lbs.	41 lbs	45"	22.5"	280	70"	
8507-3	3 Motor Tilt Trolley DV Cleaning Rovac, 20 gal. S/S	3	63 lbs.	47 lbs	45"	22.5"	405	70"	
1103-2	2 Motor Tilt Trolley Chimney Cleaning Rovac, 20 gal.	2	56 lbs.	41 lbs	45"	22.5"	280	70"	
1103-3	3 Motor Tilt Trolley Chimney Cleaning Rovac, 20 gal.	3	62 lbs.	47 lbs	45"	22.5"	405	70"	
1105-2	2 Motor Fixed Trolley Chimney Cleaning Rovac, 15 gal.	2	48 lbs.	--	35.5"	22.5"	280	70"	
1105-3	3 Motor Fixed Trolley Chimney Cleaning Rovac, 15 gal.	3	53 lbs.	--	35.5"	22.5"	405	70"	
1107-2	2 Motor Tilt Trolley Chimney Clean'g Rovac, 20 gal. S/S	2	57 lbs.	41 lbs	45"	22.5"	280	70"	
1107-3	3 Motor Tilt Trolley Chimney Clean'g Rovac, 20 gal. S/S	3	63 lbs.	47 lbs	45"	22.5"	405	70"	



**A.W. PERKINS ROVAC® 2 MOTOR VAC w/TILT DRUM/REMOVEABLE TROLLEY**

This powerful 2 Motor, 280 CFM, RoVac HEPA chimney & dryer vent vacuum is used for dust control while cleaning chimneys or dryer vents and can also be used for debris removal after any job. Filters 99.97% efficient down to .3 microns. This vacuum features a 20 gallon rugged high impact plastic drum on a tilt to dump trolley. The tank may also be removed from the trolley to carry it into homes, up stairs, etc. Model 1103-2 comes standard with a 4 in. x 10 ft. hose, a 3 in. x 12.5 ft. hose, a 1.5 in. x 8 ft. hose, two extension rods, crevice tool, tool adapter, one round and one oval brush, one HEPA filter, and two micro bag filters. Everything you need to clean any chimney, fireplace, or dryer vent. The model 8503-2 omits the large hose and spare microbag filter. The lifetime warranted 12-inch wheels on the back make the RoVac easy to maneuver, and the motors are under warranty for a full year, 90 days on the balance of unit.

ITEM NO.	DESCRIPTION
1103-2	Rovac 2 motor vacuum on tilt trolley w/spare microbag filter.
8503-2	Our Standard 2-Motor Dryer Vent Vacuum Same as 1103-2, but with no 4" hose and only one microbag filter.





**ROVAC® STAINLESS ONE MOTOR VACUUM W/ OR W/O TROLLEY**

This RoVac 1 motor HEPA chimney & dryer vent vacuum is the little brother to our powerful 3 motor vacuum. 120 CFM, and incredible 132" w.c. suction. This 9 gallon stainless steel vacuum features a removable drum that sits on a tilt trolley, for easy emptying. It comes with a 3" x 12.5' gray hose and a 7 piece tool kit, (#8531), with two 18" extensions, a crevice tool, one round and one oval brush, a tool adapter and a 1.5"(ID) x 8' hose w/swivel end. Kit pictured in above photo. Three levels of filtration, the dacron bag SootStop™ is used for particularly dirty chimeneys or masonry work and saves the primary microbag filter. Final HEPA cartridge assures no dust. 1102F "Fuel Oil" model uses our microfiber disposable bag filter in lieu of the SootStop.

ITEM NO.	DESCRIPTION
1102	Rovac one motor stainless steel vacuum on tilt trolley as shown above
1102D	Rovac one motor stainless steel vacuum WITHOUT trolley, w/3" and 1.5" hose/accys
1102F	Rovac one motor stainless with smaller 1.5" inlet w/disposable bag option, tilt trolley.



**1102D**



**1102F 1½" Inlet**



**ROVAC® ONE MOTOR VACUUM, PLASTIC TANK**

This RoVac 1 motor HEPA chimney & dryer vent vacuum is the little brother to the more powerful 3 motor vacuum. This 9 gallon vacuum is made of rugged molded high impact plastic. It sits on five (5) casters and is light weight at 20 lbs. and easy to carry. It comes with a 3" x 12.5' hose and a 7 piece tool kit, (#8531), with two extension rods, crevice tool, one round and one oval brush, tool adapter and a 1.5"(ID) x 8' hose w/swivel end. \*1101 included items in picture to left above.

ITEM NO.	DESCRIPTION
1101	Rovac one motor vacuum (base model) w/3" gray hose, 1.5" hose and accy's.
1101A	Rovac one motor vacuum w/hose cage, 1.5" hose and accy's, and smoke shelf hose, below



**1101A Rovac Includes all seen here**

**1122 Microbag filter**

**1124 HEPA**

**1126 Dacron**



412 Mini-Vac kit

**ROVAC® VACUUM ACCESSORIES**

As included with all new ROVAC® vacuums. 7 piece tool kit with two 18" extension tubes, crevice tool, one round and one oval brush, tool adapter and a 1.5"(ID) x 8' hose w/swivel end. Vac Hose accessory is an add on for any vacuum to extend reach with a flexible soft vinyl hose.

ITEM NO.	DESCRIPTION
*8531	ROVAC® Complete Accessory tool kit
41071	18" Extension Tube (kit includes 2)
41072	Tool Adapter (use w/41073/41075)
41073	Round Brush
41074	Crevice Tool
41075	Floor Brush
41122	Flex Hose with swivel end and pickup cuff
41122F	As above but swivel end fits 1102F vac only
VH1	24" Vac Hose attachment with clear 3/4" dia. hose
412	Pellet Stove/dryer mini-vac kit, fits our black hose



VH1 - Kit includes 2 Adapters to fit hoses 1" to 2"



Rovac® 1.5" hose

The Rovac Y-Adapter allows one to connect their vacuum while using your ButtonLok rods and brushes to clean dryer vents. The 3" gray Rovac hose slides over the reduced end of the Y. You then force your brush through the slit cut cap and with the other end of the Y attached by hose clamp to the transition duct you have a dust-free cleaning system. The NEW Vac Vision model has a clear section for you and the customer to see the dislodged lint flowing through.

ITEM NO.	DESCRIPTION
8521	Y-Adapter, plastic and aluminum, 4 rubber feet
8521V	Vac Vision Y-Adapter, with 3" see thru section

**VacVision  
New model!  
8521V**



8521 Original

Dryer Transition Duct Clamps here

Microbags are now  
white coated



## ROVAC® MICROBAG VACUUM FILTERS

ITEM NO.	DESCRIPTION (NOW IN WHITE NOT BLUE COATING)
1121	Our Microbag filter for 2 or 3 motor ROVAC's®
1122	Our Microbag filter for 1 motor ROVAC's®

## ROVAC® HEPA VACUUM FILTERS

ITEM NO.	DESCRIPTION
1123	Our HEPA filter for 2 or 3 motor ROVAC's®
1124	Our HEPA filter for 1 motor ROVAC's®


## ROVAC® SOOT STOP DACRON FILTERS

ITEM NO.	DESCRIPTION
1125	Replacement SootStop dacron pre-filter for 2/3 motor
1126	Replacement SootStop dacron pre-filter for 1 motor

## ROVAC® MICRO-FILTER DISPOSABLES

ITEM NO.	DESCRIPTION
44192	Disposable bag filter ONLY for 1102F ROVAC's®

**2-stage Motor  
For One Motor Rovacs  
#1155 comes as shown  
with thermal switch  
wire lead**




**41329 Wire  
w/thermal  
switch alone**

**41300 Motor  
Brushes for  
One Motor  
ROVAC's w/  
change tool**



## A.W. PERKINS VACUUM MOTORS AND MOTOR BRUSHES

ITEM NO.	DESCRIPTION
1143	Motor brushes-Ametek (pair)- for 3 motor (right)
1150	Ametek/Lamb Motor for 3 motor vac (no photo)
1145	Motor brushes, <b>old</b> Domel motor, pair
41300	One Motor ROVAC® motor brushes pair (right)
1155	2-stage Motor for One Motor Rovac's (right)
41329	Thermal switch and associated wire for 1155 (r.)



**1143 Motor  
Brushes for 3  
Motor ROVAC's**

### NOTE:

Search YouTube "Rovac 3 motor brush" for instructional video for #1143 brush change. We also can perform your regular vacuum maintenance at our shop in Rutland, Vermont. Call for a return label and have us evaluate and refurbish your older Rovacs.

**ROVAC POWER  
HEADS, HOSES,  
& ACCESSORIES**  
*Tip: Get a spare  
power head and  
limit in-season  
shutdown!*

ITEM NO.	DESCRIPTION (NOT PICTURED)
1101-P	1 motor power head w/HEPA filter and 2-stage motor, "Spare Head"
1105-2	2 motor power head no HEPA, "Spare Head" to keep work going in season!
1105-3	3 motor power head no HEPA, "Spare Head" to keep work going in season!
44100	Motor switches (on/off) for all vacuums, w/green lamp power indicator
41172	Hose cage for 1 motor vacs. 17" dia. Sits on top of vacuum (pic on P. 67)
44106	Upsized Black 2" x 8' hose with swivel end to fit ROVAC 1, 2 or 3 motor vacs
8502S	3" Gray hose as supplied with our vacuums, 12.5' long
8504	4" Black Polyurethane hose with blue wear strip as supplied w/vacuums, 10' long
8506	3" Lightweight hose extension, 20' long light weight hose w/3" hose coupler.
8506S	As above but with swivel connector to fit into vacuum
8524	Metal smoke shelf hose. 1 1/4" x 4' attaches to 1 1/2" hose
8533	Accordian Hose, 3" x 5' STAYPUT extends your gray hose, collapses to 24"
8534	Accordian Hose, 4" x 5' STAYPUT for dust collection, collapsed its only 24"
8541	Micro cleaning kit. Small tools for tight areas. Ideal for pellet stoves





## A.W.PERKINS CAMERA INSPECTION AND PAPR BREATHING APPARATUS



The A.W. Perkins Flash-Corder chimney inspection camera/flash light is an ideal and economic way to document chimney conditions quickly. Using the ButtonLok holder the sweep is able to push the Flash-Corder up the flue to video record the interior conditions of the chimney system. While there is no live view you are able to visually show the homeowner what is happening inside their chimney by playing back on a computer or by sending the recorded file. Files can then be easily transferred to your personal device, whether it be a laptop, iPhone or iPad.

Our new Inspection Fire 3 camera housing uses the GoProMax 360 degree camera to capture impressive video and still pictures in chimneys. The ButtonLok housing and easy “no tool” strand adjustment makes for ease of use.

Along with the two inspections options, we also have a complete respiratory systems for your safety. We offer Powered Air Purifying Respirators (PAPR) and traditional masks with Organic Vapor plus Particulate “P100” filters. The PAPR, powered air purifying respirator with an organic vapor HEPA filtration system, will keep you safe from the dirt and particulates associated with chimney cleaning. It includes a fan w/carrying case, headgear w/hose and a Li-ion rechargeable battery.

Housing comes w/whip line



Wood in a 3-sided chimney



Smoke Chamber above Heat Form FP



Colors Available



### INSPECTION FIRE 3 CHIMNEY CAMERA SYSTEM w/GoPro MAX 360 CAMERA

Newest technology, 360° spherical images! ButtonLok housing dimensions 5¼" high x 3¼" wide x 1¾" deep easily fits through damper frame. Two cameras with 180° view each get merged together by GoPro Max software into a spherical image at any point you choose. Incredible resolution and twin lighting make this a great value. Accessories included with IF3 and IF3K include two lights, spare Enduro battery and charger, charger cables (3) for lights and battery, touch screen protector, lens protectors and accy. carry case. Set screws hold camera securely in housing. Use QR code to get complete details. 7 color options so you can color code by van or tech, red and black shown.

Link for full info  
InspectionFire.com



Dryer Vent Inspection?  
See our Vent Vision camera, page 51.



ITEM NO.	DESCRIPTION
IF3	Inspection Fire 3 Housing complete w/GoPro Max
IF3K	Inspection Fire 3 Housing w/accessories only
IF3H	Inspection Fire 3 Housing only (specify color)
LC4	Lens Cover 4 pack, 2 needed per camera

Typical screen shots taken off our phone. Full resolution is in the camera memory but often the phone shots clearly show the the issues!





### A.W. PERKINS FLASH-CORDER VIDEO RECORDING FLASHLIGHT

LED flashlight and video recorder in a rugged aluminium housing. Splash and dust resistant for daily use by chimney and service professionals who need to document what they see. Ideal for showing the homeowner what corrective measures need to be taken. SPOT and FLOOD light settings with 3 LED's and 100 lumens brightness. Video features: Save MP4 files up to 30 minutes long onto your device for playback. Use "Cloud FTP" to view with iPad/phone. Instructions included. Note: Splash resistant but not water proof.

ITEM NO.	DESCRIPTION
9642	Flash-Corder w/charger, lanyard, USB cable



### A.W. PERKINS FLASH-CORDER HOLDER

This optional holder helps to keep the Flash-Corder centered in the chimney during inspections. The holder has a large female ButtonLok adapter for use with the large ButtonLok rod system.

ITEM NO.	DESCRIPTION
9642H	Aluminum Holder for Flash-Corder only

### FLASH-CORDER EXTRAS

ITEM NO.	DESCRIPTION
9642B	Flash-Corder battery
9642C	Flash-Corder replacement charger
9642HS	Holster w/belt clip for Flash-Corder

### A.W. PERKINS "ROVAC" AIR PURIFYING RESPIRATOR SYSTEM

Complete respirator system (# 9801A) as pictured. Contains combination HEPA/organic vapor filter, headgear (bonnet w/yoke, face seal and clear lens), Li-ion rechargeable battery, battery charger, air pump w/belted carrying case, air flow tester and covered breathing tube. **NOTE:** OSHA minimum air flow is 6 CFM, the red line on the tester. A dirty filter will reduce air flow, check w/tester often! Design can change from picture due to factory revisions.

ITEM NO.	DESCRIPTION
9801	Complete respirator system as pictured.
9821	Replacement HEPA/organic vapor filter
9822	Replacement headgear-bonnet w/face seal and clear lens
9823	Replacement battery
9824	Battery charger
9825	Covered breathing tube





New MIGHTY MOUSE package -  
see page 74



9

## VENT VISION COMPRESSED AIR DRYER VENT CLEANING SYSTEMS

A.W. Perkins Co. is pleased to announce the introduction of our Vent Vision dryer vent cleaning system using compressed air. Perfected over the past 30 years by Nate Greenberg, an innovative dryer vent cleaning contractor in the New York Metro area.

The Vent Vision hose reel with air motor rewind and 300 feet of 1/2" hose leads the way to taking your company to the next level. Paired with our Cast Iron compressor its an unbeatable system. The 300 feet of 1/2" ID hose assures massive air flow to our Vent Vision air tools. Get one of our systems and start "outside in" cleaning techniques necessary to win many commercial jobs. Twin hose reels for enhanced productivity are easily accomodated with this beast!

Our truck mounted installation is shown here in a 3/4 Ton van. We will work with you to provide measurements for your install of the system. This install had our team mount the hose reel and compressor on 2x4's laid flat for shipment on a long pallet. A fork lift (or "your team" lift) is needed to position it for installation. Mighty Mouse system fits trailers or smaller vans.

800-698-7412

[sales@awperkins.com](mailto:sales@awperkins.com)


shop - [www.rodtechusa.com](http://www.rodtechusa.com)



## REQUIREMENTS

- *Note Dimensions*
- *Minimum compressor spec  
17 CFM at 175 psi*
- *Flexible air coupling to  
your compressor*

98LBS



DRYER VENT  
CLEANING MADE EASY



## VENT VISION HOSE REEL

Improve your dryer vent cleaning productivity with our all new Vent Vision Hose Reel. Includes chain driven air motor rewind. The top quality 300 foot hose is 1/2" ID to maximize air flow to our exclusive air tools. Dual pressure setup with full 175 psi flow through pressure and reduced pressure for safe rewind. Pressure control valve allows you to adjust to a comfortable rewind speed. Heavy gauge steel frame with four holes for connecting to vehicle. Durable powder coated reel and frame. Axle lock to prevent rotation while driving. Quality built in the USA for years of service. This item ships palletized by truck. Ask about discounts available for multiple unit purchase. Installation service available.

### ITEM NO. DESCRIPTION

R12300 Vent Vision Hose Reel w/300'x1/2" hose



**\$2799 Delivered**

Multi-unit purchase discount available - call



1" NPT Fem

44" Long, 40" high and 22" deep.



Flexible inter-connect required

### VENT VISION 30 CFM HEAVY DUTY COMMERCIAL AIR COMPRESSOR, 30 GAL TANK

Prepare to be blown away by this truck mounted compressor. The most durable air compressor designed to give thousands of hours of service per year. Honda 13 HP GX390 gas engine. Electric start, 12 v alternator (you will need to supply the lawn mower battery). May also be manually started. A Honda oil drain kit is installed to make engine oil changes easier. 2-Stage, twin cylinder cast iron pump puts out over 30 CFM at 175 psi. Pump is turning at only 635 RPM for long life. 30 gallon tank for plenty of capacity. This unit weighs 610 lbs and requires a 3/4 ton truck frame (or a similarly robust trailer) for proper mounting. Installation services available. Multi unit discount available.

**ITEM NO. DESCRIPTION**

CFM30 Vent Vision 30CFM Heavy Commercial Cast Iron Compressor

**\$5899 Unit Price/\$8,798 ready to mount w/R12300 Reel Includes free flying tiger!**

### VENT VISION 23 CFM COMMERCIAL AIR COMPRESSOR

Our medium size unit delivers 23 CFM at 175 psi for efficient dryer vent cleaning with our Hose Reel and accessories. Electric start on the Honda 13 HP GX390 engine, just add your battery. The motor automatically idles down and will shut down if the oil is dangerously low. 4 gal. surge tank. Great for smaller format trucks or trailer mounting. The unit weighs 220 lbs.

**ITEM NO. DESCRIPTION**

CFM23 Vent Vision 23 CFM Compressor w/Honda GX390

### MIGHTY MOUSE PACKAGE!

**\$3499 Unit Price/\$5,999 + Freight ready to mount w/R12300 Reel Includes free flying tiger H30!**



38" wide, 25" high and 25" deep.



## FLYING TIGER - IDEAL FOR DRYER VENT CLEANING

- Patent pending head will not penetrate blower
- Minimum compressor spec is 17 CFM at 175 psi
- Unique green hose is tough 3/8" ID for max air flow

1" Access Plugs and 1" Access Grommets should be on hand whenever you encounter roof terminations. Drill a 1" hole in the cap and install the access grommet when inserting rods or air lines into vent to limit damage to your tools. Use Plug when complete to allow easy access for the next cleaning. Black color plugs available.



## VENT VISION AIR TOOLS AND ACCY. FOR DRYER VENT CLEANING

Our air lines are 3/8" ID for greatly improved air flow when using our compressor and hose reel. Stunning productivity improvement compared with 1/4" hoses. The large reverse spinner on our air hoses will not go past a dryer blower making them the safe bet to use when run lengths are not known. The small reverse spinner will fit through a 1" hole making it ideal for roof vents, use with access grommet.

### ITEM NO. DESCRIPTION

AT1	Vent Vision Std Air Tools Kit, H30, H40, G1, TV1, TS1, P1, P1S, P2
AT2	Vent Vision Expanded Air Tools Kit, AT1 + extra H30 & H40 +1 H50
H30	Flying Tiger 30' Air Hose with large Vent Vision reverse spinner
H30S	30' Air Hose with small reverse spinner (7/8" diameter)
H40	Flying Tiger 40' Air Hose with large Vent Vision reverse spinner
H40S	40' Air Hose with small reverse spinner (7/8" diameter)
H50	Flying Tiger 50' Air Hose with large Vent Vision reverse spinner
RB1	Small reverse air flow ball, fits through a 1" hole
RB2	Standard Flying Tiger reverse air flow spinning ball, 1 3/8" OD
G1	Air Gun, 12" adjustable pressure
TV1	Thumb valve with female QD
TS1	Vent Vision Tape Squeegee
HC4S	Hose Clamp, for 4" transition or duct, stainless, easy operation
P1	1" vent plug, black, 100 pcs
P1BULK	1" vent plug, black, Bulk, 5,000 pcs
P2	1" vent grommet to insert while using small H30S or H40S, 6 pcs



